



Group 6

NC storage and transport systems







Series 30

NC storage and transport systems

Tool trolleys
see page 172




NC roller shutter cabinets
see page 180



NC universal racks
see page 186



Leaf-door cabinets for tools
see page 190



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



5-year Guarantee



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030





For your safety all shelving
systems must be secured
to the floor or wall



Fixing material
for shelving
Part. No.
06-00046







Series 30



Tool trolleys

Made of high-quality sheet steel. Trolleys are painted with high resistance products, environmentally friendly. The sides are slotted in increments of 25 mm to allow tool holder frames, tool cradles and other components to be adjusted accordingly. Fitted with handle and pair of polyurethane castors, Ø 150 mm.

Width mm	Depth mm	Height mm	Load capacity kg *	Part. No.
765	508	880	500	30-10100

* with load evenly distributed

Colours: see colour chart at the bottom of the page



polyurethane castors
(2 fixed and
2 swivel braked)




Protection bars



Made of high-quality steel. To be fixed between perforated sides of the trolley. Fixing hardware included.

Width mm	Height mm	Pair Part. No.
600	270	30-10428

Colour: Light grey RAL 7035




Adjustable shelves

Made of high-quality steel
with rubber mat

To be fixed between the perforated sides of the trolley.

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
600	305	30	50	30-10407
600	465	30	50	30-10411

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



Fixed shelf

Made of high-quality steel with rubber mat

To be fixed to the external perforated side of the trolley

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
496	312	30	20	30-10207

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



Document pocket

Made of high-quality steel

Used to store documents, can be fitted to both perforated sides.


Width mm	Depth mm	Height mm	Size DIN	Part. No.
370	46	180	A4	30-10418

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Tool cradles
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the trolley using cradle supports.

A Tool cradle

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	30-41360	30-41361
562	95	155	30-41362	30-41363

Colour: Light grey RAL 7035



Fixed tool holder frame
Made of high-quality steel

To be fixed to the perforated sides of the trolley (supports included) Fixing hardware included.

Fixed tool holder frame

Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	447	80	3	30-45336

Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

B Cradle support, pair

	Part. No.
Horizontal	30-44180
Angled, 20°	30-44181

Colour: Light grey RAL 7035



Tool holders see
page 175



Series 30



Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-10
with 32 Tool holders ISO-SK30	30-10100-13
with 32 Tool holders ISO-SK40	30-10100-14
with 20 Tool holders ISO-SK50	30-10100-15
with 24 Tool holders VDI 40	30-10100-16
with 24 Tool holders HSK 50	30-10100-17
with 24 Tool holders HSK 63	30-10100-18
Fittings:	
1 Fixed shelf with rubber mat	
4 Tool cradles and 4 angled supports	



Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-20
with 24 Tool holders ISO-SK30	30-10100-23
with 24 Tool holders ISO-SK40	30-10100-24
with 15 Tool holders ISO-SK50	30-10100-25
with 18 Tool holders VDI 40	30-10100-26
with 18 Tool holders HSK 50	30-10100-27
with 18 Tool holders HSK 63	30-10100-28
Fittings:	
1 Fixed shelf with rubber mat	
3 Tool cradles and 3 horizontal supports	
1 Adjustable shelf with rubber mat	




Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-50
with 24 Tool holders ISO-SK30	30-10100-53
with 24 Tool holders ISO-SK40	30-10100-54
with 15 Tool holders ISO-SK50	30-10100-55
with 18 Tool holders VDI 40	30-10100-56
with 18 Tool holders HSK 50	30-10100-57
with 18 Tool holders HSK 63	30-10100-58
Fittings:	
1 Fixed shelf with rubber mat	
1 Fixed tool holder frame 3-rows	



Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-60
with 32 Tool holders ISO-SK30	30-10100-63
with 32 Tool holders ISO-SK40	30-10100-64
with 20 Tool holders ISO-SK50	30-10100-65
with 24 Tool holders VDI 40	30-10100-66
with 24 Tool holders HSK 50	30-10100-67
with 24 Tool holders HSK 63	30-10100-68
Fittings:	
1 Fixed shelf with rubber mat	
1 Fixed tool holder frame 3-rows	
1 Tool cradle and 1 angled support	

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:


Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-70
with 40 Tool holders ISO-SK30	30-10100-73
with 40 Tool holders ISO-SK40	30-10100-74
with 25 Tool holders ISO-SK50	30-10100-75
with 30 Tool holders VDI 40	30-10100-76
with 30 Tool holders HSK 50	30-10100-77
with 30 Tool holders HSK 63	30-10100-78

Fittings:

- 1 Fixed shelf with rubber mat
- 1 Fixed tool holder frame 3-rows
- 2 Tool cradles and 2 angled supports



Size: 1077x508x880 mm	Part. No.
without Tool holders	30-10100-80
with 56 Tool holders ISO-SK30	30-10100-83
with 56 Tool holders ISO-SK40	30-10100-84
with 35 Tool holders ISO-SK50	30-10100-85
with 42 Tool holders VDI 40	30-10100-86
with 42 Tool holders HSK 50	30-10100-87
with 42 Tool holders HSK 63	30-10100-88

Fittings:


- 1 Fixed shelf with rubber mat
- 1 Fixed tool holder frame 3-rows
- 4 Tool cradles and 4 angled supports



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-45336
ISO-SK 30	30-51030	1	8	24
ISO-SK 40	30-51040	1	8	24
ISO-SK 50	30-51050	1	5	15
HSK 32	30-51432	1	8	24
HSK 40	30-51440	1	8	24
HSK 50	30-51450	1	6	18
HSK 63	30-51463	1	8	24
HSK 80	30-51480	1	4	12
HSK 100	30-51499	1	4	12
CAPTO C4	30-51604	1	6	18
CAPTO C5	30-51605	1	6	18
CAPTO C6	30-51606	1	6	18
CAPTO C8	30-51608	1	4	12
VDI 20	30-51120	1	8	24
VDI 30	30-51130	1	8	24
VDI 40	30-51140	1	8	24
VDI 50	30-51150	1	6	18
VDI 60	30-51160	1	5	15
58 mm	30-50058	-	8	24
65 mm	30-50065	-	8	24
75 mm	30-50075	-	7	21
87 mm	30-50087	-	6	18
105 mm	30-50105	-	5	15
120 mm	30-50120	-	4	12



Series 30



Tool trolleys

Made of high-quality sheet steel. Trolley sides and bases are welded and painted with high resistance products, environmentally friendly. The sides are slotted in increments of 25 mm to allow tool holder frames, tool cradles and other components to be adjusted accordingly. Fitted with handle and pair of rubber castors, Ø 200 mm.

Width mm	Depth mm	Height mm	Load capacity kg *	Part. No.
1080	692	970	600	30-10400

* with load evenly distributed

Colours: see colour chart at the bottom of the page



rubber castors (2 fixed and 2 swivel braked)




Protection bars



Made of high-quality steel. To be fixed between perforated sides of the trolley. Fixing hardware included.

Width mm	Height mm	Pair Part. No.
600	270	30-10428

Colour: Light grey RAL 7035



Adjustable shelves

Made of high-quality steel with rubber mat

To be fixed between the perforated sides of the trolley.

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
600	305	30	50	30-10407
600	465	30	50	30-10411
600	665	30	50	30-10415

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



Document pocket

Made of high-quality steel

Used to store documents, can be fitted to both perforated sides.

Width mm	Depth mm	Height mm	Size DIN	Part. No.
370	46	180	A4	30-10418

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Tool cradles
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the trolley using cradle supports.

A Tool cradle

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	30-41360	30-41361
562	95	155	30-41362	30-41363


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

B Cradle support, pair

	Part. No.
Horizontal	30-44180
Angled, 20°	30-44181

Colour: Light grey RAL 7035



Fixed tool holder frame
Made of high-quality steel

To be fixed to the perforated sides of the trolley. Fixing hardware included.

C Fixed tool holder frame

Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	596	80	4	30-43436


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the trolley.

D Frame support, pair

	Part. No.
	30-10422

Colour: Light grey RAL 7035



Vertical tool storage supports
Made of high-quality steel

Tool type ISO-SK	Tool type HSK	Collar Ø max. mm	Depth mm	No. of tools	Part. No.
30	50	51/36	56	11	33-74311
40	63	63/50	56	9	33-74409
45	80	82/63	72	7	33-74457
50	100	98/80	84	5	33-74505
50	-	112/80	100	5	33-74515

Colour: Light grey RAL 7035




Tool holders see
page 179



Series 30


Standard examples:



Size: 1080x692x970 mm	Part. No.
without Tool holders	30-10400-20
with 48 Tool holders ISO-SK30	30-10400-23
with 48 Tool holders ISO-SK40	30-10400-24
with 30 Tool holders ISO-SK50	30-10400-25
with 36 Tool holders VDI 40	30-10400-26
with 36 Tool holders HSK 50	30-10400-27
with 36 Tool holders HSK 63	30-10400-28

Fittings:


- 2 Adjustable shelves with rubber mat
- 1 Fixed tool holder frame 4-rows
- 2 Tool cradles and 2 angled supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	30-10400-30
with 72 Tool holders ISO-SK30	30-10400-33
with 72 Tool holders ISO-SK40	30-10400-34
with 45 Tool holders ISO-SK50	30-10400-35
with 54 Tool holders VDI 40	30-10400-36
with 54 Tool holders HSK 50	30-10400-37
with 54 Tool holders HSK 63	30-10400-38

Fittings:


- 1 Adjustable shelf with rubber mat
- 1 Fixed tool holder frame 4-rows
- 5 Tool cradles and 5 angled supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	30-10400-40
with 80 Tool holders ISO-SK30	30-10400-43
with 80 Tool holders ISO-SK40	30-10400-44
with 50 Tool holders ISO-SK50	30-10400-45
with 60 Tool holders VDI 40	30-10400-46
with 60 Tool holders HSK 50	30-10400-47
with 60 Tool holders HSK 63	30-10400-48

Fittings:

- 1 Fixed tool holder frame 4-rows
- 4 Tool cradles and 4 angled supports
- 2 Tool cradles and 2 horizontal supports



Size: 1080x692x970 mm	Part. No.
without Tool holders	30-10400-50
with 80 Tool holders ISO-SK30	30-10400-53
with 80 Tool holders ISO-SK40	30-10400-54
with 50 Tool holders ISO-SK50	30-10400-55
with 60 Tool holders VDI 40	30-10400-56
with 60 Tool holders HSK 50	30-10400-57
with 60 Tool holders HSK 63	30-10400-58

Fittings:


- 1 Adjustable shelf with rubber mat
- 1 Fixed tool holder frame 4-rows
- 6 Tool cradles and 6 angled supports

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Tool holders



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-43436
ISO-SK 30	30-51030	1	8	32
ISO-SK 40	30-51040	1	8	32
ISO-SK 50	30-51050	1	5	20
HSK 32	30-51432	1	8	32
HSK 40	30-51440	1	8	32
HSK 50	30-51450	1	6	24
HSK 63	30-51463	1	8	32
HSK 80	30-51480	1	4	16
HSK 100	30-51499	1	4	16
CAPTO C4	30-51604	1	6	24
CAPTO C5	30-51605	1	6	24
CAPTO C6	30-51606	1	6	24
CAPTO C8	30-51608	1	4	16
VDI 20	30-51120	1	8	32
VDI 30	30-51130	1	8	32
VDI 40	30-51140	1	8	32
VDI 50	30-51150	1	6	24
VDI 60	30-51160	1	5	20
58 mm	30-50058	-	8	32
65 mm	30-50065	-	8	32
75 mm	30-50075	-	7	28
87 mm	30-50087	-	6	24
105 mm	30-50105	-	5	20
120 mm	30-50120	-	4	16



Series 30



NC roller shutter cabinets

Made of high-quality sheet steel, painted with high resistance products, environmentally friendly. Both internal side panels are perforated to allow secure fitting of accessories to suit exact requirements. Robust metal housing and plastic horizontal profiles with hand grip for easy operation fitted with safety cylinder lock and 2 keys.

Width mm	Depth mm	Height mm	Usable height mm	Part. No.
1040	635	1450	1130	30-39145
1040	635	2000	1680	30-39200

Single drawer opening system not included

Colours: see colour chart at the bottom of the page



Single drawer opening devices

Device required to open one drawer at a time. To be fitted onto perforated sides of the cabinet.

	Part. No.
Height 1000 mm	30-39310
Height 1450 mm	30-39314
Height 1625 mm	30-39316



Cabinet bases

Made of high-quality steel

	Width mm	Depth mm	Height mm	Part. No.
2 Pallet base	1023	582	100	05-23810
3 Cover plate	1023	-	100	05-35410

Colour: Black



Adjustable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.
983	590	35	200	30-38028

Colour: Light grey RAL 7035



Fixed tool holder frame

Made of high-quality steel

To be fixed to the perforated sides of the cabinet using frame supports.

A Fixed tool holder frame

Width mm	Depth mm	Height mm	No. of rows	Part. No.
890	596	80	4	30-43454

Colour: Light grey RAL 7035

B Frame support, pair


	Part. No.
Angled, 20 °	30-38072

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Tool cradles
Made of high-quality steel

To store tool holders. Available without handle only, fitted to the perforated sides of the cabinets using cradle supports.

A Tool cradle

Width mm	Height mm	Depth mm	Part. No.
946	135	155	30-41540


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the cabinet.

B Cradle support, pair

	Part. No.
Horizontal	30-44180
Angled, 20 °	30-44181

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

Usable width mm	Usable depth mm	Height mm	Extension %	Load capacity kg *	Part. No.
918	459	75	100	150	30-38985


* with load evenly distributed

Colour: Light grey RAL 7035



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. **06-00545**
Kit: 30 pieces



**Tool holder frame
for drawers**
Made of high-quality steel

C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
890	447	54x27	3	30-43354

Colour: Light grey RAL 7035

D Frame support, pair

For taper length mm	Height mm	Depth 27 Eh Part. No.
80-160	135-165	30-43310
185-220	195-225	30-43317

Colour: Light grey RAL 7035



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 T	54	52	150	30-38076
100 T	79	77	150	30-38101
150 T	129	127	150	30-38151

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035



Card insert and cellophane (spare part)

For drawers: 54 Eh Part. No. **06-00545**
Kit: 30 pieces



Tool holders see
page 185



Series 30



AS

AS

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	30-39145-01

Fittings:

2 Adjustable shelves



75 T

75 T

100 T

150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	30-39145-02

Fittings:

4 Drawers

1 Single drawer opening device



AS

75 T

150 T

150 T

RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	30-39145-03

Fittings:

1 Adjustable shelf

3 Drawers

1 Retractable shelf

1 Single drawer opening device



Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders

30-39145-20

70 Tool holders ISO-SK30

30-39145-23

70 Tool holders ISO-SK40

30-39145-24

40 Tool holders ISO-SK50

30-39145-25

50 Tool holders VDI 40

30-39145-26

50 Tool holders HSK 50

30-39145-27

50 Tool holders HSK 63

30-39145-28

Fittings:

5 Tool cradles

5 Angled supports



RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders

30-39145-30

56 Tool holders ISO-SK30

30-39145-33

56 Tool holders ISO-SK40

30-39145-34

32 Tool holders ISO-SK50

30-39145-35

40 Tool holders VDI 40

30-39145-36

40 Tool holders HSK 50

30-39145-37

40 Tool holders HSK 63

30-39145-38

Fittings:

4 Tool cradles

4 Angled supports

1 Retractable shelf



100 T

150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	1450	

without Tool holders

30-39145-40

28 Tool holders ISO-SK30

30-39145-43

28 Tool holders ISO-SK40

30-39145-44

16 Tool holders ISO-SK50

30-39145-45

20 Tool holders VDI 40

30-39145-46

20 Tool holders HSK 50

30-39145-47

20 Tool holders HSK 63

30-39145-48

Fittings:

2 Tool cradles

2 Angled supports

2 Drawers

1 Single drawer opening device

Standard colours:

RAL 5012

RAL 6011

RAL 7035

RAL 9010



Drawers:

T = load capacity:200 kg - extension 100%

Standard examples:



AS
AS
AS
AS

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	30-39200-01

Fittings:
4 Adjustable shelves



AS
75 T
100 T
100 T
RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	30-39200-02

Fittings:
1 Adjustable shelf
3 Drawers
1 Retractable shelf
1 Single drawer opening device



AS
75 T
75 T
100 T
150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	30-39200-03

Fittings:
1 Adjustable shelf
4 Drawers
1 Single drawer opening device



Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders	30-39200-20
112 Tool holders ISO-SK30	30-39200-23
112 Tool holders ISO-SK40	30-39200-24
64 Tool holders ISO-SK50	30-39200-25
80 Tool holders VDI 40	30-39200-26
80 Tool holders HSK 50	30-39200-27
80 Tool holders HSK 63	30-39200-28

Fittings:
8 Tool cradles
8 Angled supports



150 T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders	30-39200-30
84 Tool holders ISO-SK30	30-39200-33
84 Tool holders ISO-SK40	30-39200-34
48 Tool holders ISO-SK50	30-39200-35
60 Tool holders VDI 40	30-39200-36
60 Tool holders HSK 50	30-39200-37
60 Tool holders HSK 63	30-39200-38

Fittings:
6 Tool cradles
6 Angled supports
1 Drawer



100 T
150 T
RS T

Width mm	Depth mm	Height mm	Part. No.
1040	635	2000	

without Tool holders	30-39200-40
56 Tool holders ISO-SK30	30-39200-43
56 Tool holders ISO-SK40	30-39200-44
32 Tool holders ISO-SK50	30-39200-45
40 Tool holders VDI 40	30-39200-46
40 Tool holders HSK 50	30-39200-47
40 Tool holders HSK 63	30-39200-48

Fittings:
4 Tool cradles
4 Angled supports
2 Drawers
1 Retractable shelf
1 Single drawer opening device



Tool holders see
page 185

Standard colours:


RAL 5012	RAL 6011	RAL 7035	RAL 9010




Series 30

Standard examples:


Partitioning material




For front height:	Part. No.
50 mm and higher	08-50034
6 Troughs	3-Trough
10 Trough dividers	
12 Troughs	4-Trough
30 Trough dividers	




For front height:	Part. No.
50 mm and higher	08-50234
6 Troughs	2-Trough
6 Trough dividers	
6 Troughs	3-Trough
10 Trough dividers	
6 Troughs	4-Trough
15 Trough dividers	




For front height:	Part. No.
50 mm	08-51205
75 mm	08-51207
100-125 mm	08-51210
18 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	08-51405
75 mm	08-51407
100-125 mm	08-51410
12 Plastic boxes	150x75 mm
12 Plastic boxes	150x150 mm




For front height:	Part. No.
50 mm	08-53405
75 mm	08-53407
100-125 mm	08-53410
150 mm	08-53415
200-250 mm	08-53420
300 mm	08-53430
4 Slotted partitions	27 Eh
2 Aluminium dividers	9 Eh
3 Aluminium dividers	12 Eh




For front height:	Part. No.
50 mm	08-53505
75 mm	08-53507
100-125 mm	08-53510
150 mm	08-53515
200-250 mm	08-53520
300 mm	08-53530
5 Slotted partitions	27 Eh
12 Aluminium dividers	9 Eh



For front height:	Part. No.
50 mm	08-53705
75 mm	08-53707
100-125 mm	08-53710
7 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh
2 Aluminium dividers	9 Eh




For front height:	Part. No.
50 mm	08-53805
75 mm	08-53807
100-125 mm	08-53810
8 Slotted partitions	27 Eh
12 Aluminium dividers	6 Eh



For front height:	Part. No.
50 mm	08-58405
75 mm	08-58407
100-125 mm	08-58410
150 mm	08-58415
200-250 mm	08-58420
4 Plain partitions	27 Eh



Tool holders



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41540	No. of tools per frame Part. No. 30-43354	No. of tools per frame Part. No. 30-43454
ISO-SK 30	30-51030	1	14	39	52
ISO-SK 40	30-51040	1	14	39	52
ISO-SK 50	30-51050	1	9	24	32
HSK 32	30-51432	1	13	39	52
HSK 40	30-51440	1	13	39	52
HSK 50	30-51450	1	10	30	40
HSK 63	30-51463	1	14	39	52
HSK 80	30-51480	1	8	24	32
HSK 100	30-51499	1	8	24	32
CAPTO C4	30-51604	1	10	30	40
CAPTO C5	30-51605	1	10	30	40
CAPTO C6	30-51606	1	10	30	40
CAPTO C8	30-51608	1	8	24	32
VDI 20	30-51120	1	16	42	56
VDI 30	30-51130	1	14	39	52
VDI 40	30-51140	1	14	36	48
VDI 50	30-51150	1	11	30	40
VDI 60	30-51160	1	9	24	32
58 mm	30-50058	-	16	42	56
65 mm	30-50065	-	14	39	52
75 mm	30-50075	-	12	33	44
87 mm	30-50087	-	10	27	36
105 mm	30-50105	-	8	24	32
120 mm	30-50120	-	7	21	28




Series 30



NC universal racks

Made of high-quality painted sheet steel.


A modular shelving system with slotted side panels to allow accessories to be fitted to suit exact requirements. Consisting of a starter bay and extension bays. Open or closed with 2 door option: standard or Plexiglas®.



Universal racks without doors

Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	610	2000	30-36020	-
630	610	2000	-	30-36023

Colours: see colour chart at the bottom of the page



Adjustable shelf

Made of high-quality steel

Usable width mm	Usable depth mm	Height mm	Load capacity kg	Part. No.	Smooth rubber mat Part. No.
600	600	30	80	30-26062	-
600	600	3	-	-	30-26064

Shelf colour: Light grey RAL 7035 / Rubber mat: Black



Universal racks with standard leaf doors

Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	635	2000	30-36220	-
630	635	2000	-	30-36223

Colours: see colour chart at the bottom of the page



Universal racks with Plexiglas® leaf doors


Usable width mm	Usable depth mm	Height mm	Starter bay Part. No.	Extension bay Part. No.
660	635	2000	30-36420	-
630	635	2000	-	30-36423

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Tool cradles
Made of high-quality steel

To store tool holders. 2-types available (with handle and without handle), fitted to the perforated sides of the universal rack using cradle supports.

A Tool cradle

Width mm	Height mm	Depth mm	without Handles Part. No.	with Handles Part. No.
562	135	155	30-41360	30-41361
562	95	155	30-41362	30-41363


Colour: Light grey RAL 7035

Made of steel. Fitted to the perforated sides of the universal rack.

B Cradle support, pair

	Part. No.
Horizontal	30-44180
Angled, 20°	30-44181

Colour: Light grey RAL 7035



Fixed tool holder frame
Made of high-quality steel

To be fixed to the perforated sides of the racking.

C Fixed tool holder frame

Width mm	Depth mm	Height mm	No. of rows	Part. No.
584	596	80	4	30-43436

Colour: Light grey RAL 7035



D Frame support, pair

	Part. No.
	30-26072

Colour: Light grey RAL 7035



Drawers



Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
75 S	61	52	20	30-26075
100 S	86	77	20	30-26100
150 S	136	127	20	30-26150

S = simple extension: 85 - 90% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035



Card insert and cellophane (spare part)


For drawers: 32 Eh

Part. No. **06-00325**

Kit: 30 pieces



With drawers it is necessary to install at least one adjustable shelf



Drawer with tool holder frame
Made of high-quality steel

Usable width mm	Usable depth mm	Front height mm	Extension %	Load capacity kg	Part. No.
445	505	100 S	85-90 %	80	30-26110

* with load evenly distributed

Colour: Light grey RAL 7035



Card insert and cellophane (spare part)

For drawers: 32 Eh

Part. No. **06-00325**

Kit: 30 pieces



Tool holders see
page 189



Load capacity is intended
for evenly distributed loads




Series 30

Standard examples:



Width mm	Depth mm	Height mm	without Door Part. No.	with standard Door Part. No.	with Plexiglas® Door Part. No.
660	610	2000	30-36020-01	-	-
660	635	2000	-	30-36220-01	30-36420-01

Fittings:
12 Tool cradles without handles
12 Cradle supports, angled



Width mm	Depth mm	Height mm	without Doors Part. No.	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1290	610	2000	30-37020-01	-	-
1290	635	2000	-	30-37220-01	30-37420-01

Fittings:
24 Tool cradles without handles
24 Cradle supports, angled



Width mm	Depth mm	Height mm	without Door Part. No.	with standard Door Part. No.	with Plexiglas® Door Part. No.
660	610	2000	30-36020-02	-	-
660	635	2000	-	30-36220-02	30-36420-02

Fittings:
4 Fixed tool holders frames 4-rows
4 Frame supports, angled



Width mm	Depth mm	Height mm	without Doors Part. No.	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1290	610	2000	30-37020-02	-	-
1290	635	2000	-	30-37220-02	30-37420-02


Fittings:
8 Fixed tool holders frames 4-rows
8 Frame supports, angled

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Tool holders



Tool type	RED Part. No.	No. of tools per tool holder	No. of tools per cradle Part. No. 30-41360	No. of tools per frame Part. No. 30-43436	No. of tools per frame Part. No. 30-26110
ISO-SK 30	30-51030	1	8	32	21
ISO-SK 40	30-51040	1	8	32	21
ISO-SK 50	30-51050	1	5	20	12
HSK 32	30-51432	1	8	32	24
HSK 40	30-51440	1	8	32	24
HSK 50	30-51450	1	6	24	18
HSK 63	30-51463	1	8	32	21
HSK 80	30-51480	1	4	16	12
HSK 100	30-51499	1	4	16	12
CAPTO C4	30-51604	1	6	24	18
CAPTO C5	30-51605	1	6	24	18
CAPTO C6	30-51606	1	6	24	18
CAPTO C8	30-51608	1	4	16	12
VDI 20	30-51120	1	8	32	24
VDI 30	30-51130	1	8	32	21
VDI 40	30-51140	1	8	32	21
VDI 50	30-51150	1	6	24	18
VDI 60	30-51160	1	5	20	12
58 mm	30-50058	-	8	32	24
65 mm	30-50065	-	8	32	21
75 mm	30-50075	-	7	28	18
87 mm	30-50087	-	6	24	15
105 mm	30-50105	-	5	20	12
120 mm	30-50120	-	4	16	12



Series 24



Cabinet housings
with leaf door

Made of high-quality sheet steel. Housing sides and bases are painted with high resistance products, environmentally friendly. Available in one height only with sides slotted in increments of 25 mm to allow drawers, shelves and tool holder frames to be adjusted accordingly. Doors are fitted with safety cylinder lock and 2 keys and can be standard or in Plexiglas®.

Width mm	Depth mm	Height mm	Usable height mm	with standard Doors Part. No.	with Plexiglas® Doors Part. No.
1026	555	2000	1850	24-32000	24-62000

Max load capacity: 600 kg

Colours: see colour chart at the bottom of the page



A

Fixed tool holder frame
Made of high-quality steel

B

Fitted using frame supports, to the sides of the housing.

A Fixed tool holder frame


Width mm	Depth mm	Height mm	No. of rows	Part. No.
890	447	80	3	30-43354

Colour: Light grey RAL 7035

B Frame support, pair

Part. No.
Angled 20° 24-30072


Colour: Light grey RAL 7035



Drawers
Made of high quality steel

Front height mm	Usable width mm	Usable depth mm	Extension %	Load capacity kg	Part. No.
100 S	918	459	85	20	24-33100
100 T	918	459	100	20	24-33101

Colour: Light grey RAL 7035



Adjustable shelf
Made of high quality steel

Width mm	Depth mm	Height mm	Load capacity kg	Slotted Part. No.
1000	500	35	80	24-30036

Hooks (spare part)-Kit: 16 pieces

52-00006

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:



Size:	Part. No.
1026x555x2000 mm	24-32000-40
Fittings:	
4 Fixed tool holders frames 3-rows	
4 Frame supports, angled	



Size:	Part. No.
1026x555x2000 mm	24-62000-40
Fittings:	
4 Fixed tool holders frames 3-rows	
4 Frame supports, angled	



31
100 S
100 S

Size:	Part. No.
1026x555x2000 mm	24-32000-31
Fittings:	
2 Fixed tool holders frames 3-rows	
2 Frame supports, angled	
2 Drawers normal extension	
2 Adjustable shelves	



31
100 S
100 S

Size:	Part. No.
1026x555x2000 mm	24-62000-31
Fittings:	
2 Fixed tool holders frames 3-rows	
2 Frame supports, angled	
2 Drawers normal extension	
2 Adjustable shelves	



Tool holders see
page 192



Standard examples are not supplied with
tool holders – please order separately

Standard colours:

RAL 5012	RAL 6011	RAL 7035	RAL 9010



Series 30

Tool holders

For Tool holders ISO-SK

Tool type ISO-SK	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	RED Part. No.
30	58	138	48	-	1	30-51030
40	58	138	63	-	1	30-51040
50	105	138	63	-	1	30-51050

For Tool holders HSK

Tool type HSK	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	RED Part. No.
32	64	138	30	24,5/21	1	30-51432
40	64	138	30	30,5/27	1	30-51440
50	82	138	30	37,5/35	1	30-51450
63	65	138	20	48,6	1	30-51463
80	106	138	30	60,5/58	1	30-51480
100	106	138	30	76/73	1	30-51499

For Tool holders Capto

Tool type CAPTO	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	RED Part. No.
C4	82	138	40	-	1	30-51604
C5	82	138	40	-	1	30-51605
C6	82	138	40	-	1	30-51606
C8	106	138	40	-	1	30-51608

For Tool holders VDI

Tool type VDI	Width mm	Depth mm	Height mm	Bore Ø mm	No. of tools per tool holder	RED Part. No.
20	58	138	20	-	1	30-51120
30	58	138	74	-	1	30-51130
40	65	138	82	-	1	30-51140
50	80	138	98	-	1	30-51150
60	100	138	114	-	1	30-51160

For Tool holders DIY drilling



Width mm	Depth mm	Height mm	RED Part. No.
58	138	20	30-50058
65	138	20	30-50065
75	138	20	30-50075
87	138	20	30-50087
105	138	20	30-50105
120	138	20	30-50120



NC Tools stand
Made of high-quality steel

To store tools on workbenches or cabinets.

Width mm	Depth mm	Height mm	Part. No.
588	500	255	
without Tool holders			30-23627
with 24 Tool holders ISO-SK30			30-23627-03
with 24 Tool holders ISO-SK40			30-23627-04
with 15 Tool holders ISO-SK50			30-23627-05
with 18 Tool holders VDI 40			30-23627-06
with 18 Tool holders HSK 50			30-23627-07
with 18 Tool holders HSK 63			30-23627-08


Colour: Light grey RAL 7035, side supports see colour chart at the bottom of the page



Series 33

36 Eh

Universal shelving system with vertical drawers



Shelving system with drawers and shelves, depth 27 Eh
see page 204



Shelving system with drawers and shelves, depth 36 Eh
see page 214



Standard colours:			
RAL 5012	RAL 6011	RAL 7035	RAL 9010



For your safety all shelving systems must be secured to the floor or wall



Fixing material for shelving
Part. No.
06-00046



Technical specifications



Internal dimensions

A Bay	Bay width 714 mm = 36 Eh	Usable width = 661 mm
	Bay width 867 mm = 45 Eh	Usable width = 814 mm
	Bay width 1020 mm = 54 Eh	Usable width = 967 mm

B Shelving system depth	706 mm = 36 Eh
--------------------------------	----------------

C Shelving system height	2000 mm	2200 mm	2500 mm
---------------------------------	---------	---------	---------

D Front height with vertical drawers partial height	750 mm
---	--------

E Usable height to install drawers into lower section	Shelving system height	2000 mm	2200 mm	2500 mm
		1100 mm	1300 mm	1600 mm

F Front height with vertical drawers full height	Shelving system height	2000 mm	2200 mm	2500 mm
		1900 mm	2100 mm	2400 mm

Uprights are slotted in increments of 25 mm

Load capacity

Shelving system height mm	Type of vertical drawer	No. of universal shelves	Load capacity per upright Kg
2000	partial height	3	5500
	full height	2	4500
2200	partial height	3	5500
	full height	2	4500
2500	partial height	3	5500
	full height	2	4250




Load capacity is intended
for evenly distributed loads



Series 33

36 Eh





1

Uprights

Made of high-quality steel, slotted in increments of 25 mm

A1 without Lock

A2 with Lock for drawers partial height




2

Side panels

Made of high-quality steel

Height mm	Depth mm	Width mm	No. of panels	Part. No.
2000	706	23	2	33-75200
2200	706	23	2	33-75220
2500	706	23	2	33-75250

Colours: see colour chart at the bottom of the page



3

Back panels

Made of high-quality steel


To be fitted onto the uprights to stabilise the unit bay.

Upright height mm	No. of panels	Bay 36 Eh Part. No.	Bay 45 Eh Part. No.	Bay 54 Eh Part. No.
2000	4	32-13620	32-14520	32-15420
2200	4	32-13622	32-14522	32-15422
2500	5	32-13625	32-14525	32-15425

Colours: see colour chart at the bottom of the page

A1 without Lock

A3 with Lock for drawers full height



Height mm	Depth mm	Width mm	A1 Part. No.	A3 Part. No.
2000	706	53	33-70020	33-70420
2200	706	53	33-70022	33-70422
2500	706	53	33-70025	33-70425

Colours: see colour chart at the bottom of the page



M10x110

Pair

Part. No.

06-00046




For your safety all shelving systems must be secured to the floor or wall

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



4



Locking mechanisms for vertical drawers

For vertical drawers, both partial and full height.


Bay width		Eh	Part. No.
mm			
714	36		32-70030
867	45		32-70040
1020	54		32-70050



Locking mechanisms for horizontal drawers

J
k

(H) Shelving height mm	(J) Front height mm	(K) Usable height mm	Part. No.
2000	750	1100	33-73110
2200	750	1300	33-73130
2500	750	1600	33-73160



Upper shelves **A**


Lower shelves **C**

for vertical drawers full height

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
A	714	36	661	705	50	33-72231
C	714	36	661	705	50	33-72234
A	867	45	814	705	50	33-72241
C	867	45	814	705	50	33-72244
A	1020	54	967	705	50	33-72251
C	1020	54	967	705	50	33-72254

Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Upper shelves **A**

Central shelves **B**


Lower shelves for lock **4**

for vertical drawers partial height

	Bay width		Usable width mm	Usable depth mm	Height mm	Part. No.
	mm	Eh				
A	714	36	661	705	50	33-72231
B	714	36	661	705	50	33-72232
4	714	36	661	705	50	33-71134
A	867	45	814	705	50	33-72241
B	867	45	814	705	50	33-72242
4	867	45	814	705	50	33-71144
A	1020	54	967	705	50	33-72251
B	1020	54	967	705	50	33-72252
4	1020	54	967	705	50	33-71154

Load capacity: 200kg

Colours: see colour chart at the bottom of the page




Universal shelves

Made of high-quality steel

Bay width			Usable width mm	Usable depth mm	Height mm	Plain Part. No.
mm	Eh					
714	36		661	705	50	33-71036
867	45		814	705	50	33-71045
1020	54		967	705	50	33-71054

Load capacity: 200kg

Colours: see colour chart at the bottom of the page



Adjustable shelves for locking system

Made of high-quality steel. Lateral supports included

Bay width			Usable width mm	Usable depth mm	Height mm	Part. No.
mm	Eh					
714	36		661	620	35	33-72038
867	45		814	620	35	33-72048
1020	54		967	620	35	33-72058

Load capacity: 70kg

Colours: see colour chart at the bottom of the page



Load capacity is intended
for evenly distributed loads

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 33


36 Eh

6



Vertical drawers partial height

Made of high-quality steel. Available in one height and total extension version with steel roller bearings only, internal perforated panel allow secure fixing of hooks and other accessories.



Front width mm	Usable width X mm	Usable width X1/X2 mm	Front height 750 mm Part. No.
125	93	-	33-76012
150	118	68/68	33-76015
175	143	68/93	33-76017
200	168	93/93	33-76020
* 220	-	93/105	33-76022
250	218	118/118	33-76025
250	218	93/143	33-76025
250	218	68/168	33-76025
300	268	143/143	33-76030
300	268	118/168	33-76030
* 330	-	143/168	33-76033

*only for bay width 714mm / 36 Eh

Total extension: 100% extension - Max load 100kg


Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page

7



Vertical drawers full height

Made of high-quality sheet steel. Available in 3 different heights, total extension version with steel roller bearings only.



Front width mm	Usable width X mm	Usable width X1/X2 mm	Upright height 2000 mm Part. No.	Upright height 2200 mm Part. No.	Upright height 2500 mm Part. No.
100	68	-	33-76210	33-76410	33-76610
125	93	-	33-76212	33-76412	33-76612
150	118	68/68	33-76215	33-76415	33-76615
175	143	68/93	33-76217	33-76417	33-76617
200	168	93/93	33-76220	33-76420	33-76620
*220	-	105/105	33-76222	33-76422	33-76622
250	218	118/118	33-76225	33-76425	33-76625
250	218	93/143	33-76225	33-76425	33-76625
250	218	68/168	33-76225	33-76425	33-76625
300	268	143/143	33-76230	33-76430	33-76630
300	268	118/168	33-76230	33-76430	33-76630
*330	-	160/160	33-76233	33-76433	33-76633

*only for bay width 714mm / 36 Eh

Total extension: 100% extension - Max load 500kg

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page




Hooks

for perforated panels
see page 249



Perforated panels

Made of high-quality steel. Internally fixed to vertical drawers full height only.
For fixing hooks only.



Shelving height mm	No. of panels	Usable height mm	Usable width mm	Part. No.
2000	2	1715	610	33-77620
2200	2	1915	610	33-77622
2500	2	2215	610	33-77625


Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035




Load capacity is intended for
evenly distributed loads



Vertical tool storage supports
Made of high-quality steel

Tool type ISO-SK	Tool type HSK	Collar Ø max. mm	Depth mm	No. of tools	Part. No.
30	50	51/36	56	11	33-74311
40	63	63/50	56	9	33-74409
45	80	82/63	72	7	33-74457
50	100	98/80	84	5	33-74505
50	-	112/80	100	5	33-74515

Colour: Light grey RAL 7035



Retaining clamps
with neoprene profile


No. of units	For max. Ø mm	No. of clamps per profile	A mm	Part. No.
2	15	16	50	32-75015
3	27	12	65	32-75027
4	35	10	76	32-75035
5	48	8	90	32-75048
6	60	7	98	32-75060
7	73	6	115	32-75073
8	85	5	126	32-75085
9	98	5	140	32-75098
10	110	4	153	32-75110
11	123	4	165	32-75123
12	135	3	180	32-75135



Trays
Made of high-quality steel

Width mm	Depth mm	Height mm	Part. No.
600	90	100	33-77709
600	165	100	33-77716

Colour: Light grey RAL 7035





Shelves
Made of steel surround with wooden inlay.
To be used in combination with support guides.

Width mm	Depth mm	A mm	Part. No.
310	50	70	33-77505
310	75	95	33-77507
310	100	120	33-77510
310	125	145	33-77512
310	150	170	33-77515

Load capacity: 120kg with load evenly distributed

Colour: Light grey RAL 7035



Support guides A
Neoprene profiles B

Width mm	Thickness mm	Height mm	Support guide Part. No.	Neoprene profile Part. No.
620	18	50	33-74700	33-74701

Colour: Light grey RAL 7035





Series 33

36 Eh

36 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-33050
75 S	61	52	80	10-33075
75 T	54	52	200	10-33076
100 S	86	77	100	10-33100
100 T	79	77	200	10-33101
125 S	111	77	100	10-33125
125 T	104	77	200	10-33126
150 S	136	127	100	10-33150
150 T	129	127	200	10-33151
175 T	154	127	200	10-33176
200 S	186	177	100	10-33200
200 T	179	177	200	10-33201
250 T	229	177	200	10-33251
300 S	286	277	100	10-33300
300 T	279	277	200	10-33301
400 T	379	277	200	10-33401

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365


Kit: 30 pieces



Partitioning material
see page 43

45 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-43050
75 S	61	52	80	10-43075
75 T	54	52	200	10-43076
100 S	86	77	100	10-43100
100 T	79	77	200	10-43101
125 S	111	77	100	10-43125
125 T	104	77	200	10-43126
150 S	136	127	100	10-43150
150 T	129	127	200	10-43151
200 S	186	177	100	10-43200
200 T	179	177	200	10-43201
250 T	229	177	200	10-43251
300 S	286	277	100	10-43300
300 T	279	277	200	10-43301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 45 Eh

Part. No. 06-00455

Kit: 30 pieces



Partitioning material
see page 55


Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010

200




Load capacity is intended
for evenly distributed loads



54 x 36 Eh

Drawers



Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

Front height mm	Usable height mm	Lateral height mm	Load capacity kg *	Part. No.
50 S	36	33	60	10-53050
75 S	61	52	80	10-53075
75 T	54	52	200	10-53076
100 S	86	77	100	10-53100
100 T	79	77	200	10-53101
125 S	111	77	100	10-53125
125 T	104	77	200	10-53126
150 S	136	127	100	10-53150
150 T	129	127	200	10-53151
200 S	186	177	100	10-53200
200 T	179	177	200	10-53201
250 T	229	177	200	10-53251
300 S	286	277	100	10-53300
300 T	279	277	200	10-53301

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. 06-00545


Kit: 30 pieces




Partitioning material
see page 65



Details of partitioning material
on page 112



Retractable shelves



Height mm	Bay width mm	Eh	Load capacity kg *	Extension %	Part. No.
75	714	36	100	85	10-33984
75	714	36	200	100	10-33985
75	867	45	100	85	10-43984
75	867	45	200	100	10-43985
75	1020	54	100	85	10-53984
75	1020	54	200	100	10-53985

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Tool holder frames for drawers

Made of steel

C Tool holder frame


Width mm	Depth mm	Drawer Eh	No. of rows	Part. No.
584	596	36x36	4	30-43436
737	596	45x36	4	30-43445
890	596	54x36	4	30-43454

Colour: Light grey RAL 7035

D Frame support, pair

For taper length mm	Height mm	Depth 36 Eh Part. No.
80-160	135-165	30-43410
185-220	195-225	30-43417

Colour: Light grey RAL 7035



Standard colours:
RAL 5012 RAL 6011 RAL 7035 RAL 9010