



stone 2025







## **001 Wet cut**

|                                                          |   |
|----------------------------------------------------------|---|
| Segmented saw blades for granite and engineered stone    | 3 |
| Segmented saw blades for marble and limestones           | 5 |
| Segmented blades super narrow slot for ceramic materials | 6 |

## **009 Dry cut**

|                                                      |    |
|------------------------------------------------------|----|
| Turbo diamond blades                                 | 10 |
| Continuous rim diamond blades                        | 13 |
| Laser welded cutting blades                          | 14 |
| Electroplated diamond blades                         | 15 |
| Diamond blades for special purposes                  | 18 |
| Diamond cup wheels                                   | 22 |
| Diamond wheels with toucher guide for angle grinders | 27 |

## **033 Diamond cloth**

|                                                    |    |
|----------------------------------------------------|----|
| Diamond hand pads                                  | 34 |
| Diamond whetstone                                  | 37 |
| Diamond sheets with canvas backing                 | 38 |
| Self-adhesive diamond sheets                       | 40 |
| QRS backing diamond sheets                         | 41 |
| QRS Flexible diamond discs                         | 44 |
| Self-adhesive flexible diamond discs               | 47 |
| Flexible diamond discs with TRK quick fastening    | 50 |
| Diamond belts for expanding rubber drum with shank | 51 |
| Diamond belts for expanding rubber drums           | 53 |

## **055 Dry polishing pads**

|                                         |    |
|-----------------------------------------|----|
| Diamond flap discs                      | 56 |
| Dryface EP semirigid QRS polishing pads | 58 |
| Resin bonded Dryface QRS polishing pads | 59 |

## **063 Wet polishing pads**

|                                    |    |
|------------------------------------|----|
| Resin bonded polishing pads        | 64 |
| Diamond nonwoven pads for flooring | 67 |

## **069 Maflex - Abrasive brushes**

|                                     |    |
|-------------------------------------|----|
| Brushes for angle grinders          | 70 |
| Brushes for edge polishing machines | 72 |
| Brushes for radial arm machines     | 74 |
| Brushes for polishing lines         | 76 |

## 079 Diamond drilling tools

|                                          |    |
|------------------------------------------|----|
| VB Dry Diamond core drills               | 80 |
| VB Diamond core drills - Case set        | 83 |
| Dry diamond core drills                  | 85 |
| Wet diamond non coring drills            | 86 |
| Wet diamond core drills for CNC machines | 87 |
| Wet diamond core drills for ceramics     | 88 |

## 089 Electroplated diamond tools

|                                             |     |
|---------------------------------------------|-----|
| Electroplated mounted points Ø2,35 mm shank | 90  |
| Electroplated mounted points Ø3 mm shank    | 93  |
| Electroplated mounted points Ø6 mm shank    | 102 |
| Electroplated discs Ø6 mm bore              | 110 |

## 111 Tools for stationary machines

|                                             |     |
|---------------------------------------------|-----|
| Edge polisher - Diamond resin bonded wheels | 112 |
| Radial arms - Sintered metal bond wheels    | 116 |
| Radial arms - Resin bonded wheels           | 119 |
| CNC-Router bits                             | 122 |
| CNC-Step cutting router bits                | 123 |
| CNC-Stubbing wheels                         | 125 |
| CNC-Carving tools                           | 126 |
| CNC-Polishing wheels for kitchen tops       | 128 |

## 131 Air tools


|                              |     |
|------------------------------|-----|
| High speed straight grinders | 132 |
| Mini angle grinders          | 134 |

## 135 Accessories

|                                        |     |
|----------------------------------------|-----|
| Accessories for angle grinders         | 136 |
| Diamond belts accessories              | 142 |
| Accessories for edge polishers         | 143 |
| Reduction rings for diamond saw blades | 145 |
| Drilling accessories                   | 146 |
| Accessories for radial arm machines    | 149 |
| Accessories for NC machines            | 151 |
| Various tool holders                   | 152 |
| QRS fastener                           | 153 |



## Wet Cut



# Technical specifications

## Dimensional data

### **L2**

Segment length

### **H**

Bore diameter

### **Ø**

Diameter

### **Z**

Segments number

### **T**


Segment width

### **X**


Depth of diamond section

### **E**


Steel core thickness



## Types of steel core



**XS3 - SG4 - MD1**



**CPS - KJ2**

## Segmented saw blades for granite and engineered stone

### XS3

- Matrix technology with geometric placing of diamond grits
- Very fast cutting on a wide range of materials
- Class 4.5 granites and hard engineered stones

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Quartzite



### Sandwich silent steel core

| Ø   | T   | L <sub>2</sub> | X  | Z  | H     | Min. | Mult. | Code          | €      |
|-----|-----|----------------|----|----|-------|------|-------|---------------|--------|
| 300 | 3,2 | 40             | 15 | 21 | 60-50 | 1    | 1     | WCS30SXS315TS | 160,00 |
| 350 | 3,2 | 40             | 15 | 25 | 60-50 | 1    | 1     | WCS35SXS315TS | 184,00 |
| 400 | 3,2 | 40             | 15 | 28 | 60-50 | 1    | 1     | WCS40SXS315TS | 209,00 |
| 450 | 3,4 | 40             | 15 | 32 | 60-50 | 1    | 1     | WCS45SXS315TS | 293,00 |
| 500 | 4   | 40             | 15 | 34 | 60-50 | 1    | 1     | WCS50SXS315TS | 317,00 |
| 600 | 4   | 40             | 15 | 42 | 60-50 | 1    | 1     | WCS60SXS315TS | 512,00 |

## Segmented saw blades for granite and engineered stone

**SG4**

- Universal saw blade for granite with traditional segment
- Fast cutting without chipping
- Can be used on low-power machines
- With Donatoni hole

★ **1st choice:**

Granite

**suitable:**

Engineered stone

**Sandwich silent steel core**

| Ø   | T   | L <sub>2</sub> | X  | Z  | H     | Min. | Mult. | Code          | €      |
|-----|-----|----------------|----|----|-------|------|-------|---------------|--------|
| 350 | 3,2 | 40             | 15 | 25 | 60-50 | 1    | 1     | WCS35SSG4159S | 141,00 |
| 400 | 3,2 | 40             | 15 | 28 | 60-50 | 1    | 1     | WCS40SSG4159S | 170,00 |
| 500 | 4   | 40             | 15 | 34 | 60-50 | 1    | 1     | WCS50SSG4159S | 308,00 |



## Segmented saw blades for marble and limestones

**MD1**


- High quality saw blade for all kind of marbles
- Fast cutting without chipping

★ **1st choice:**

Marble

**suitable:**

Limestone

**Standard steel core**

| Ø   | T   | L <sub>2</sub> | X | Z  | H     | Min. | Mult. | Code          | €      |
|-----|-----|----------------|---|----|-------|------|-------|---------------|--------|
| 400 | 3,4 | 40             | 7 | 28 | 60-50 | 1    | 1     | WCN40SMD107TS | 161,00 |
| 500 | 4,4 | 40             | 7 | 36 | 60-50 | 1    | 1     | WCN50SMD107TS | 258,00 |

**Sandwich silent steel core**

| Ø   | T   | L <sub>2</sub> | X | Z  | H     | Min. | Mult. | Code          | €      |
|-----|-----|----------------|---|----|-------|------|-------|---------------|--------|
| 300 | 2,6 | 40             | 7 | 21 | 60-50 | 1    | 1     | WCS30SMD107TS | 167,00 |
| 350 | 3   | 40             | 7 | 25 | 60-50 | 1    | 1     | WCS35SMD107TS | 181,00 |
| 400 | 3,4 | 40             | 7 | 28 | 60-50 | 1    | 1     | WCS40SMD107TS | 206,00 |
| 500 | 4,4 | 40             | 7 | 36 | 60-50 | 1    | 1     | WCS50SMD107TS | 356,00 |
| 625 | 5,5 | 40             | 7 | 42 | 60-50 | 1    | 1     | WCS62SMD107TS | 595,00 |

## Segmented blades super narrow slot for ceramic materials

**CPS - MN**

- Narrow-tooth design allows clean cuts without chipping
- Used for Porcelain and ceramic tiles on table cutters

★ **1st choice:**

Porcelain, Ceramics

**suitable:**

Granite, Ultra-compact materials

**Standard steel core**

| Ø   | T   | L <sub>2</sub> | X  | Z  | H       | Min. | Mult. | Code     | €      |
|-----|-----|----------------|----|----|---------|------|-------|----------|--------|
| 200 | 2   | 40             | 10 | 15 | 30-25,4 | 1    | 1     | CPS200MN | 58,00  |
| 250 | 2,4 | 40             | 10 | 18 | 30-25,4 | 1    | 1     | CPS250MN | 80,00  |
| 300 | 2,4 | 40             | 10 | 22 | 30-25,4 | 1    | 1     | CPS300MN | 101,00 |
| 350 | 2,6 | 40             | 10 | 25 | 30-25,4 | 1    | 1     | CPS350MN | 114,00 |

**CPS - T**

- Narrow-tooth design allows clean cuts without chipping
- Used for Porcelain and ceramic tiles on bridge saws

★ **1st choice:**

Porcelain, Ceramics

**suitable:**

Granite, Ultra-compact materials

**Standard steel core**

| Ø   | T   | L <sub>2</sub> | X  | Z  | H     | Min. | Mult. | Code    | €      |
|-----|-----|----------------|----|----|-------|------|-------|---------|--------|
| 300 | 2,4 | 40             | 10 | 22 | 60-50 | 1    | 1     | CPS300T | 101,00 |
| 350 | 2,6 | 40             | 10 | 25 | 60-50 | 1    | 1     | CPS350T | 114,00 |

## Segmented blades super narrow slot for ceramic materials

**KJ2**

- Narrow-tooth design allows clean cuts without chipping
- Used for Porcelain and ceramic tiles on bridge saws

★ **1st choice:**

Porcelain, Ceramics

**suitable:**


Ultra-compact materials



| Ø   | T   | L <sub>2</sub> | X  | Z  | H  | Min. | Mult. | Code          | €      |
|-----|-----|----------------|----|----|----|------|-------|---------------|--------|
| 350 | 3   | 40             | 10 | 27 | 60 | 1    | 1     | WCN35FKJ210SS | 154,00 |
| 400 | 3,2 | 40             | 10 | 30 | 60 | 1    | 1     | WCN40FKJ210SS | 212,00 |



**Dry cut**



## Turbo diamond blades

### PS

- Turbo blade for universal use
- Excellent for medium hard stones

★ **1st choice:**

Granite, Terrazzo

**suitable:**

Engineered stone, Concrete



| Ø   | T   | X | H     | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|-----|-----|---|-------|-----------------|------|-------|--------|-------|
| 115 | 2   | 7 | 22,23 |                 | 1    | 1     | PS115I | 14,00 |
| 230 | 2,6 | 7 | 22,23 |                 | 1    | 1     | PS230I | 34,00 |
| 230 | 2,6 | 7 |       | FL22,23         | 1    | 1     | PS230  | 45,00 |

### AH

- Narrow teeth turbo blade with cooling slots
- Long life and high cutting speed

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Marble, Quartzite



| Ø   | T   | X  | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|-----|----|-----------------|------|-------|-------|-------|
| 125 | 2,5 | 10 | FLM14           | 1    | 1     | AH125 | 30,00 |
| 230 | 2,8 | 12 | FLM14           | 1    | 1     | AH230 | 64,00 |

## Turbo diamond blades

### DS

- Professional turbo blade for hard materials
- Fast cutting with long working life

★ **1st choice:**

Granite, Engineered stone, Terrazzo, Concrete

**suitable:**

Marble, Quartzite



| Ø   | T   | X | H     | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|-----|-----|---|-------|-----------------|------|-------|--------|-------|
| 115 | 2,4 | 7 | 22,23 |                 | 1    | 1     | DS115I | 21,00 |
| 115 | 2,4 | 7 |       | FLM14           | 1    | 1     | DS115  | 29,00 |
| 125 | 2,4 | 7 | 22,23 |                 | 1    | 1     | DS125I | 22,00 |
| 125 | 2,4 | 7 |       | FLM14           | 1    | 1     | DS125  | 30,00 |
| 150 | 2,4 | 7 | 22,23 |                 | 1    | 1     | DS150I | 27,00 |
| 150 | 2,4 | 7 |       | FLM14           | 1    | 1     | DS150  | 35,00 |
| 180 | 2,4 | 7 | 22,23 |                 | 1    | 1     | DS180I | 34,00 |
| 180 | 2,4 | 7 |       | FL22,23         | 1    | 1     | DS180  | 48,00 |
| 230 | 2,4 | 8 |       | FL22,23         | 1    | 1     | DS230  | 55,00 |
| 230 | 2,8 | 8 | 22,23 |                 | 1    | 1     | DS230I | 48,00 |

### NTP

- Turbo blade with side coating
- Allows deep cutting
- High cutting speed

★ **1st choice:**

Granite, Engineered stone, Concrete



| Ø   | T   | X | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|-----|-----|---|-----------------|------|-------|--------|-------|
| 125 | 2,2 | 8 | FLM14           | 1    | 1     | NTP125 | 26,00 |
| 230 | 2,7 | 8 | FL22,23         | 1    | 1     | NTP230 | 56,00 |



## Turbo diamond blades

### CCG


- Extra thin turbo blade for precise and clean cuts
- Center reinforcement flange increases stability

★ **1st choice:**

Porcelain, Ultra-compact materials, Ceramics, Granite

**suitable:**

Marble, Engineered stone



| Ø   | T   | X | H     | Min. | Mult. | Code    | €     |
|-----|-----|---|-------|------|-------|---------|-------|
| 115 | 1,2 | 7 | 22,23 | 1    | 1     | CCG115I | 22,00 |
| 125 | 1,2 | 7 | 22,23 | 1    | 1     | CCG125I | 25,00 |
| 230 | 1,8 | 7 | 22,23 | 1    | 1     | CCG230I | 68,00 |



## Continuous rim diamond blades

### CRC

- Continuous rim with laser cooling slots
- Precise cut of delicate materials

★ **1st choice:**

Porcelain, Ceramics

**suitable:**

Marble, Granite, Engineered stone



| Ø   | T   | X   | H     | Min. | Mult. | Code    | €     |
|-----|-----|-----|-------|------|-------|---------|-------|
| 115 | 1,4 | 6,5 | 22,23 | 1    | 1     | CRC115I | 27,00 |
| 125 | 1,4 | 6,5 | 22,23 | 1    | 1     | CRC125I | 31,00 |

## Laser welded cutting blades

### LWTU


- Professional laser blade
- Turbo shaped segment with patterned diamond
- Very long life on a wide range of materials

★ **1st choice:**

Terrazzo, Concrete, Universal

**suitable:**

Granite, Engineered stone, Asphalt-Green Concrete



| Ø   | T   | L <sub>2</sub> | X  | Z  | H     | Min. | Mult. | Code     | €     |
|-----|-----|----------------|----|----|-------|------|-------|----------|-------|
| 230 | 2,4 | 38             | 10 | 16 | 22,23 | 1    | 1     | LWTU230I | 78,00 |

### LTTG


- Professional laser blade
- Turbo shaped segment for granite cutting
- Excellent life and even cutting performance

★ **1st choice:**

Granite, Concrete

**suitable:**

Quartzite



| Ø   | T   | L <sub>2</sub> | X  | Z  | H     | AT <sub>1</sub> | Min. | Mult. | Code       | €     |
|-----|-----|----------------|----|----|-------|-----------------|------|-------|------------|-------|
| 125 | 2   | 32             | 10 | 10 | 22,23 |                 | 1    | 1     | LTTG125I   | 43,00 |
| 180 | 2,4 | 32             | 10 | 14 | 22,23 |                 | 1    | 1     | LTTG180I   | 64,00 |
| 230 | 2,6 | 38             | 10 | 16 | 22,23 |                 | 1    | 1     | LTTG230I   | 78,00 |
| 230 | 2,6 | 38             | 10 | 16 |       | FLM14           | 1    | 1     | LTTG230M14 | 88,00 |

## Electroplated diamond blades

### EDS-FLEX

- Electroplated segmented blade
- High quality diamond powder
- Excellent cutting speed and long life

★ **1st choice:**

Marble

**suitable:**

Ultra-compact materials



| Ø   | T   | W | Z  | AT <sub>1</sub> | #    | Min. | Mult. | Code   | €     |
|-----|-----|---|----|-----------------|------|------|-------|--------|-------|
| 115 | 2,5 | 3 | 9  | FLM14           | D427 | 1    | 1     | EDS115 | 41,00 |
| 125 | 2,5 | 3 | 12 | FLM14           | D427 | 1    | 1     | EDS125 | 42,00 |
| 230 | 2,8 | 5 | 21 | FLM14           | D427 | 1    | 1     | EDS230 | 77,00 |

### EDSK-FLEX

- Electroplated segmented blade with side coatings
- High quality diamond powder
- Excellent cutting speed and long life
- Allows light grinding and deeper cut compared with EDS type

★ **1st choice:**

Marble



| Ø   | T   | W | Z  | AT <sub>1</sub> | #    | Min. | Mult. | Code    | €      |
|-----|-----|---|----|-----------------|------|------|-------|---------|--------|
| 115 | 2,5 | 3 | 9  | FLM14           | D427 | 1    | 1     | EDSK115 | 48,00  |
| 125 | 2,5 | 3 | 12 | FLM14           | D427 | 1    | 1     | EDSK125 | 50,00  |
| 230 | 2,8 | 5 | 21 | FLM14           | D427 | 1    | 1     | EDSK230 | 105,00 |

## Electroplated diamond blades

### SEDLS-FLEX

· Electroplated segmented blade with side coatings

★ **1st choice:**

Marble



| Ø   | T   | W | Z  | AT <sub>1</sub> | #    | Min. | Mult. | Code     | €     |
|-----|-----|---|----|-----------------|------|------|-------|----------|-------|
| 125 | 2,4 | 4 | 12 | FLM14           | D427 | 1    | 1     | SEDLS125 | 48,00 |

### EDC-FLEX

· Electroplated blade with continuous diamond rim  
· Fast cutting with no chipping

★ **1st choice:**

Marble



| Ø   | T   | H     | #    | Min. | Mult. | Code    | €     |
|-----|-----|-------|------|------|-------|---------|-------|
| 100 | 2,3 | 22,23 | D427 | 1    | 1     | EDC100I | 24,00 |

## Electroplated diamond blades

### EDL-FLEX

- Electroplated blade with continuous diamond rim and side coatings
- Allows light grinding and deeper cut compared with EDC type

★ **1st choice:**

Marble



| Ø   | T   | W | H     | #    | Min. | Mult. | Code    | €     |
|-----|-----|---|-------|------|------|-------|---------|-------|
| 100 | 2,5 | 4 | 22,23 | D427 | 1    | 1     | EDL100I | 30,50 |
| 115 | 2,5 | 4 | 22,23 | D427 | 1    | 1     | EDL115I | 34,00 |
| 125 | 2,5 | 4 | 22,23 | D427 | 1    | 1     | EDL125I | 36,00 |



## Diamond blades for special purposes

### EDLX

- Electroplated continuous rim blade for cutting and grinding
- High diamond quality and innovative design for very fast stock removal

★ **1st choice:**

Marble



| Ø   | T   | X  | AT <sub>1</sub> | #    | Min. | Mult. | Code    | €      |
|-----|-----|----|-----------------|------|------|-------|---------|--------|
| 125 | 2,5 | 33 | FLM14           | D427 | 1    | 1     | EDLX125 | 67,00  |
| 230 | 2,8 | 65 | FLM14           | D427 | 1    | 1     | EDLX230 | 170,00 |

### EDLXX

- High quality diamond powder for fast cutting and long life
- Both sides coating for most demanding applications

★ **1st choice:**

Marble



| Ø   | T   | X  | AT <sub>1</sub> | #    | Min. | Mult. | Code     | €      |
|-----|-----|----|-----------------|------|------|-------|----------|--------|
| 125 | 2,5 | 33 | FLM14           | D427 | 1    | 1     | EDLXX125 | 71,00  |
| 230 | 2,8 | 64 | FLM14           | D427 | 1    | 1     | EDLXX230 | 205,00 |


## Diamond blades for special purposes

### EDSF

- Electroplated segmented blade for cutting and grinding
- The wide diamond rim allows excellent stock removal with good finishing

★ **1st choice:**

Marble



| Ø   | T   | X  | Z  | AT <sub>1</sub> | #    | Min. | Mult. | Code    | €      |
|-----|-----|----|----|-----------------|------|------|-------|---------|--------|
| 125 | 2,5 | 30 | 12 | FLM14           | D427 | 1    | 1     | EDSF125 | 73,00  |
| 230 | 2,8 | 45 | 21 | FLM14           | D427 | 1    | 1     | EDSF230 | 154,00 |

### TS

- Professional turbo blade for cutting and grinding
- Heavy duty construction in order to resist grinding stress

★ **1st choice:**

Granite, Engineered stone, Terrazzo

**suitable:**

Concrete



| Ø   | T | X  | X <sub>1</sub> | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|---|----|----------------|-----------------|------|-------|-------|-------|
| 125 | 3 | 30 | 10             | FLM14           | 1    | 1     | TS125 | 83,00 |

## Diamond blades for special purposes

### MT

- Professional turbo blade for hard materials
- Fast cutting with long working life

★ **1st choice:**

Granite, Engineered stone, Terrazzo, Concrete

**suitable:**

Marble, Quartzite



| Ø  | T | X   | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|----|---|-----|-----------------|------|-------|-------|-------|
| 50 | 2 | 5,5 | FLM14           | 1    | 1     | MT050 | 22,00 |

### DCG

- Sintered convex blade with side diamond protection segments
- Studied for sink holes cutting
- Fast cutting blade

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Quartzite, Universal



| Ø   | T   | L <sub>2</sub> | X | X <sub>1</sub> | Z  | H     | Min. | Mult. | Code    | €     |
|-----|-----|----------------|---|----------------|----|-------|------|-------|---------|-------|
| 125 | 2,4 | 34             | 8 | 35             | 10 | 22,23 | 1    | 1     | DCG125I | 72,00 |
| 180 | 2,6 | 34             | 8 | 35             | 15 | 22,23 | 1    | 1     | DCG180I | 85,00 |



## Diamond blades for special purposes

### EDLC

- Electroplated convex blade with side diamond protection segments
- Studied for sink holes cutting
- Fast cutting blade

★ **1st choice:**

Marble



| Ø   | T   | W | H     | #    | Min. | Mult. | Code     | €     |
|-----|-----|---|-------|------|------|-------|----------|-------|
| 125 | 2,5 | 4 | 22,23 | D427 | 1    | 1     | EDLC125I | 57,00 |
| 180 | 3   | 4 | 22,23 | D427 | 1    | 1     | EDLC180I | 78,00 |

## Diamond cup wheels

### SW

- Double row segmented cup wheel
- High stock removal even on flat grinding
- With holes for dust extraction

★ **1st choice:**

Granite, Concrete

**suitable:**

Engineered stone



| Ø   | L <sub>2</sub> | W | X   | Z  | H     | AT <sub>1</sub> | Min. | Mult. | Code   | €      |
|-----|----------------|---|-----|----|-------|-----------------|------|-------|--------|--------|
| 100 | 30             | 7 | 5,5 | 16 |       | M14             | 1    | 1     | SW100C | 58,00  |
| 125 | 30             | 7 | 5,5 | 20 | 22,23 |                 | 1    | 1     | SW125  | 67,00  |
| 125 | 30             | 7 | 5,5 | 20 |       | M14             | 1    | 1     | SW125C | 67,00  |
| 180 | 35             | 7 | 5,5 | 24 | 22,23 |                 | 1    | 1     | SW180  | 112,00 |

### MR

- Segmented cup wheel resin filled
- Three grit sizes available
- Excellent finishing even on small bevels

★ **1st choice:**

Granite, Engineered stone, Universal

**suitable:**

Ultra-compact materials, Porcelain



| Ø   | W | X | Z  | AT <sub>1</sub> | #   | Min. | Mult. | Code    | €     |
|-----|---|---|----|-----------------|-----|------|-------|---------|-------|
| 105 | 7 | 5 | 12 | M14             | 40  | 1    | 1     | MR100C  | 77,00 |
| 105 | 7 | 5 | 12 | M14             | 60  | 1    | 1     | MR1001C | 78,00 |
| 105 | 7 | 5 | 12 | M14             | 120 | 1    | 1     | MR1002C | 80,00 |

## Diamond cup wheels

### TGW

- Sintered double turbo cup wheel
- Top diamond quality
- High stock removal and long life

★ **1st choice:**

Granite, Engineered stone, Concrete, Universal



| Ø   | W  | X | AT <sub>1</sub> | Min. | Mult. | Code    | €     |
|-----|----|---|-----------------|------|-------|---------|-------|
| 100 | 20 | 7 | M14             | 1    | 1     | TGW100C | 97,00 |

### TGH

- Sintered double turbo cup wheel
- Top diamond quality
- New bond for very high cutting speed

★ **1st choice:**

Granite

**suitable:**

Engineered stone, Concrete



| Ø   | W  | X | AT <sub>1</sub> | Min. | Mult. | Code    | €     |
|-----|----|---|-----------------|------|-------|---------|-------|
| 100 | 20 | 6 | M14             | 1    | 1     | TGH100C | 66,00 |

## Diamond cup wheels

### GRA

- Sintered turbo cup wheel with aluminium body
- Three grit sizes available

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Marble, Quartzite, Ultra-compact materials, Porcelain, Ceramics, Concrete



| Ø   | W  | X | AT <sub>1</sub> | #   | Min. | Mult. | Code     | €     |
|-----|----|---|-----------------|-----|------|-------|----------|-------|
| 100 | 20 | 5 | M14             | 40  | 1    | 1     | GRA100C  | 51,00 |
| 100 | 20 | 5 | M14             | 60  | 1    | 1     | GRA1001C | 92,00 |
| 100 | 20 | 5 | M14             | 120 | 1    | 1     | GRA1002C | 92,00 |

### VBSB

- Vacuum brazed cup wheel
- Allows exceptional grinding speeds on all medium-hardness materials
- With holes for dust extraction

★ **1st choice:**

Marble, Engineered stone, Universal

**suitable:**

Granite, Ceramics, Concrete



| Ø   | W  | E   | AT <sub>1</sub> | #  | Min. | Mult. | Code       | €     |
|-----|----|-----|-----------------|----|------|-------|------------|-------|
| 100 | 25 | 3,5 | M14             | 40 | 1    | 1     | VBSB10040C | 65,00 |
| 100 | 25 | 3,5 | M14             | 60 | 1    | 1     | VBSB10060C | 64,00 |
| 125 | 30 | 3,5 | M14             | 60 | 1    | 1     | VBSB12560C | 89,00 |

## Diamond cup wheels

### VBDF

- Depressed center vacuum brazed diamond tool
- Rounded edge
- Light and easy to handle tool

★ **1st choice:**

Marble, Engineered stone, Universal

**suitable:**

Granite, Ceramics, Concrete



| Ø   | W  | E   | H     | #   | Min. | Mult. | Code       | €     |
|-----|----|-----|-------|-----|------|-------|------------|-------|
| 115 | 25 | 1,5 | 22,33 | 40  | 1    | 1     | VBDF115040 | 36,00 |
| 115 | 25 | 1,5 | 22,33 | 120 | 1    | 1     | VBDF115120 | 37,00 |
| 178 | 28 | 2   | 22,33 | 30  | 1    | 1     | VBDF178030 | 85,00 |

### MA

- High quality electroplated diamond powder
- Aluminium wheel body significantly reduces operator stress

★ **1st choice:**

Marble



| Ø   | W  | Z  | AT <sub>1</sub> | #    | Min. | Mult. | Code   | €      |
|-----|----|----|-----------------|------|------|-------|--------|--------|
| 100 | 22 | 12 | M14             | D427 | 1    | 1     | MA100C | 160,00 |

## Diamond cup wheels

### SG

- Antivibrating fiber backing
- Significantly reduces operator stress
- High stock removal even on glue, resin and cast iron

#### ★ 1st choice:

Granite, Engineered stone, Universal

#### *suitable:*

Ultra-compact materials, Porcelain



| Ø   | W  | X   | H     | Min. | Mult. | Code  | €     |
|-----|----|-----|-------|------|-------|-------|-------|
| 100 | 20 | 2,2 | 22,23 | 1    | 1     | SG100 | 76,00 |



Available accessories: LMFL See page 140



## Diamond wheels with toucher guide for angle grinders

### TRB - EP

- Electroplated wheel with double rotating toucher for concave radius
- Can obtain B-V-A profiles

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø   | R  | AT <sub>1</sub> | #    | Min. | Mult. | Code        | €      |
|-----|----|-----------------|------|------|-------|-------------|--------|
| 104 | 5  | M14             | D427 | 1    | 1     | TRB05E1IM14 | 205,00 |
| 100 | 10 | M14             | D427 | 1    | 1     | TRB10E1IM14 | 217,00 |
| 100 | 15 | M14             | D427 | 1    | 1     | TRB15E1IM14 | 231,00 |
| 100 | 20 | M14             | D427 | 1    | 1     | TRB20E1IM14 | 255,00 |
| 104 | 25 | M14             | D427 | 1    | 1     | TRB25E1IM14 | 258,00 |
| 114 | 30 | M14             | D427 | 1    | 1     | TRB30E1IM14 | 314,00 |

### TRL - EP

- Electroplated wheel with double rotating toucher for convex radius
- Can obtain L profiles

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø   | R  | AT <sub>1</sub> | #    | Min. | Mult. | Code        | €      |
|-----|----|-----------------|------|------|-------|-------------|--------|
| 104 | 10 | M14             | D427 | 1    | 1     | TRL10E1IM14 | 217,00 |
| 104 | 15 | M14             | D427 | 1    | 1     | TRL15E1IM14 | 231,00 |

## Diamond wheels with toucher guide for angle grinders

### TRB - M

- Sintered segmented wheel with double rotating toucher for concave radius
- Can obtain B-V-A profiles

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Terrazzo, Concrete



| Ø   | R  | AT <sub>1</sub> | Min. | Mult. | Code        | €      |
|-----|----|-----------------|------|-------|-------------|--------|
| 104 | 10 | M14             | 1    | 1     | TRB10M1IM14 | 420,00 |
| 104 | 15 | M14             | 1    | 1     | TRB15M1IM14 | 438,00 |

### TR1 - EP

- Electroplated wheel with rotating toucher guide for drip slot grinding
- Available in three standard widths

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø  | T  | W  | AT <sub>1</sub> | #    | Min. | Mult. | Code        | €      |
|----|----|----|-----------------|------|------|-------|-------------|--------|
| 63 | 6  | 6  | M14             | D427 | 1    | 1     | TR106E1IM14 | 210,00 |
| 70 | 8  | 10 | M14             | D427 | 1    | 1     | TR108E1IM14 | 217,00 |
| 70 | 10 | 10 | M14             | D427 | 1    | 1     | TR110E1IM14 | 231,00 |

## Diamond wheels with toucher guide for angle grinders

### TR1 - EP RIC

· TR1 - EP Grinding Wheel replacement

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø  | T  | W  | H  | #    | Min. | Mult. | Code   | €      |
|----|----|----|----|------|------|-------|--------|--------|
| 63 | 6  | 6  | 17 | D427 | 1    | 1     | ES0285 | 92,00  |
| 70 | 8  | 10 | 17 | D427 | 1    | 1     | ES0064 | 103,00 |
| 70 | 10 | 10 | 17 | D427 | 1    | 1     | ES0293 | 117,00 |

### TRANTI - EP

- Electroplated wheel with double rotating toucher guide for creating a non slip pattern
- Reversible diamond wheel allows to create two different non slip patterns

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø  | T  | AT <sub>1</sub> | #    | Min. | Mult. | Code         | €      |
|----|----|-----------------|------|------|-------|--------------|--------|
| 53 | 28 | M14             | D427 | 1    | 1     | TRANTIE1IM14 | 267,00 |

## Diamond wheels with toucher guide for angle grinders

### TRE1V145 - EP

- Electroplated wheel with double rotating toucher guide for precise bevel grinding
- Three different guide diameters for 5-10-15mm bevel

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø  | T  | v° | AT <sub>1</sub> | #    | Min. | Mult. | Code        | €      |
|----|----|----|-----------------|------|------|-------|-------------|--------|
| 95 | 18 | 45 | M14             | D427 | 1    | 1     | TRES3E1IM14 | 306,00 |

### TR6A2 - EP

- Electroplated wheel with double rotating toucher guide for side rim
- Interchangeable toucher guides to obtain 15 or 20mm side rim

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Ø  | W  | AT <sub>1</sub> | #    | Min. | Mult. | Code   | €      |
|----|----|-----------------|------|------|-------|--------|--------|
| 95 | 10 | M14             | D252 | 1    | 1     | ES0059 | 201,00 |

## Diamond wheels with toucher guide for angle grinders

### TFB - EP

- Electroplated wheel with fixed touchers guides for concave radius
- Can obtain B-V-A profiles

★ **1st choice:**

Marble

**suitable:**

Engineered stone




| Ø   | R  | AT <sub>1</sub> | #    | Min. | Mult. | Code   | €      |
|-----|----|-----------------|------|------|-------|--------|--------|
| 102 | 10 | M14             | D427 | 1    | 1     | ES0217 | 156,00 |
| 102 | 15 | M14             | D427 | 1    | 1     | ES0211 | 169,00 |





## Diamond cloth



## Diamond hand pads

### Fastline P01S

· Diamond 90x55 hand pads are inexpensive tools for achieving a quick, high-quality finish on either flat or radiused surfaces

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 90x55

| #         | Ld | W  | Min. | Mult. | Code       | €     |
|-----------|----|----|------|-------|------------|-------|
| 60M 250μ  | 90 | 55 | 10   | 10    | TFP010021S | 15,20 |
| 120M 125μ | 90 | 55 | 10   | 10    | TFP010022S | 13,70 |
| 200M 74μ  | 90 | 55 | 10   | 10    | TFP010023S | 12,90 |
| 400M 40μ  | 90 | 55 | 10   | 10    | TFP010025S | 9,70  |
| 500R 30μ  | 90 | 55 | 10   | 10    | TFP010025C | 8,10  |
| 1000R 10μ | 90 | 55 | 10   | 10    | TFP010027C | 8,10  |

## Diamond hand pads

### Diaface P01S

· Diamond 90x55 hand pads are inexpensive tools for achieving a quick, high-quality finish on either flat or radiused surfaces

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 90x55

| #         | Ld | W  | Min. | Mult. | Code        | €     |
|-----------|----|----|------|-------|-------------|-------|
| 60M 250μ  | 90 | 55 | 10   | 10    | TP010021S   | 21,10 |
| 120M 125μ | 90 | 55 | 10   | 10    | TP010022S   | 18,30 |
| 200M 74μ  | 90 | 55 | 10   | 10    | TP010023S   | 14,10 |
| 400M 40μ  | 90 | 55 | 10   | 10    | TP010025S   | 11,50 |
| 600M 20μ  | 90 | 55 | 10   | 10    | TP010026S   | 11,50 |
| 1000M 10μ | 90 | 55 | 10   | 10    | TP010027S50 | 15,60 |
| 500R 30μ  | 90 | 55 | 10   | 10    | TP010025B   | 9,20  |
| 1000R 10μ | 90 | 55 | 10   | 10    | TP010027R   | 9,20  |
| 8000R 2μ  | 90 | 55 | 10   | 10    | TP010028R   | 9,20  |

## Diamond hand pads

### Moonflex P01S

· Diamond 90x55 hand pads are inexpensive tools for achieving a quick, high-quality finish on either flat or radiused surfaces

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 90x55

| #         | Ld | W  | Min. | Mult. | Code       | €     |
|-----------|----|----|------|-------|------------|-------|
| 60M 250μ  | 90 | 55 | 10   | 10    | THP010021G | 25,70 |
| 120M 125μ | 90 | 55 | 10   | 10    | THP010022G | 22,30 |
| 200M 74μ  | 90 | 55 | 10   | 10    | THP010023G | 16,80 |
| 400M 40μ  | 90 | 55 | 10   | 10    | THP010025G | 12,90 |
| 500R 30μ  | 90 | 55 | 10   | 10    | THP010025C | 11,40 |
| 1000R 10μ | 90 | 55 | 10   | 10    | THP010027C | 11,40 |

## Diamond whetstone

### Diaface WHET

- For quick resharpener of chisels, knives
- Perfect for ceramic blades



#### 100x25

| #         | Ld  | W  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 120M 125μ | 100 | 25 | 2    | 1     | TB010052S | 26,50 |
| 200M 74μ  | 100 | 25 | 2    | 1     | TB010053S | 23,60 |
| 400M 40μ  | 100 | 25 | 2    | 1     | TB010055S | 20,70 |

### Moonflex WHET

- For quick resharpener of chisels, knives
- Perfect for ceramic blades



#### 150x50

| #                 | Ld  | W  | Min. | Mult. | Code       | €     |
|-------------------|-----|----|------|-------|------------|-------|
| 120M 125μ         | 150 | 50 | 1    | 1     | THB010022G | 63,00 |
| 200M 74μ          | 150 | 50 | 1    | 1     | THB010023G | 55,00 |
| 400M 40μ          | 150 | 50 | 1    | 1     | THB010025G | 51,00 |
| 200M 74μ 400M 40μ | 150 | 50 | 1    | 1     | THB01006AG | 51,50 |




## Diamond sheets with canvas backing

### Diaface CVF

- Very flexible backing can be used for complex shapes
- Can be easily cut with scissors

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 230x50

| #         | Ld  | W  | Min. | Mult. | Code        | €     |
|-----------|-----|----|------|-------|-------------|-------|
| 60M 250μ  | 230 | 50 | 2    | 1     | TF020311S   | 54,60 |
| 120M 125μ | 230 | 50 | 2    | 1     | TF020312S   | 43,80 |
| 200M 74μ  | 230 | 50 | 2    | 1     | TF020313S   | 31,00 |
| 400M 40μ  | 230 | 50 | 2    | 1     | TF020315S   | 26,90 |
| 600M 20μ  | 230 | 50 | 2    | 1     | TF020316S   | 26,90 |
| 1000M 10μ | 230 | 50 | 2    | 1     | TF020317S50 | 27,20 |
| 500R 30μ  | 230 | 50 | 2    | 1     | TF020315B   | 16,70 |
| 1000R 10μ | 230 | 50 | 2    | 1     | TF020317R   | 16,70 |
| 8000R 2μ  | 230 | 50 | 2    | 1     | TF020318R   | 16,70 |

#### 230x280

| #         | Ld  | W   | Min. | Mult. | Code        | €      |
|-----------|-----|-----|------|-------|-------------|--------|
| 60M 250μ  | 230 | 280 | 1    | 1     | TF020051S   | 277,40 |
| 120M 125μ | 230 | 280 | 1    | 1     | TF020052S   | 222,40 |
| 200M 74μ  | 230 | 280 | 1    | 1     | TF020053S   | 156,70 |
| 400M 40μ  | 230 | 280 | 1    | 1     | TF020055S   | 137,40 |
| 600M 20μ  | 230 | 280 | 1    | 1     | TF020056S   | 137,40 |
| 1000M 10μ | 230 | 280 | 1    | 1     | TF020057S50 | 137,40 |
| 500R 30μ  | 230 | 280 | 1    | 1     | TF020055B   | 85,20  |
| 1000R 10μ | 230 | 280 | 1    | 1     | TF020057R   | 85,20  |
| 8000R 2μ  | 230 | 280 | 1    | 1     | TF020058R   | 85,20  |



## Diamond sheets with canvas backing

### Moonflex CVF

- Very flexible backing can be used for complex shapes
- Can be easily cut with scissors

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 230x50

| #         | Ld  | W  | Min. | Mult. | Code         | €     |
|-----------|-----|----|------|-------|--------------|-------|
| 60M 250μ  | 230 | 50 | 2    | 1     | THF020311G   | 60,00 |
| 120M 125μ | 230 | 50 | 2    | 1     | THF020312G   | 48,00 |
| 200M 74μ  | 230 | 50 | 2    | 1     | THF020313G   | 34,10 |
| 400M 40μ  | 230 | 50 | 2    | 1     | THF020315G   | 30,30 |
| 600M 20μ  | 230 | 50 | 2    | 1     | THF020316G   | 30,30 |
| 1000M 10μ | 230 | 50 | 2    | 1     | THF020317G50 | 35,00 |

## Self-adhesive diamond sheets

### Diaface SAF

- The self adhesive backing allows permanent gluing on flat surfaces
- Ideal to manufacture diamond files or small tools
- Can be easily cut with scissors

#### ★ 1st choice:

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain, Ceramics



#### 75x75

| #         | Ld | W  | Min. | Mult. | Code        | €     |
|-----------|----|----|------|-------|-------------|-------|
| 60M 250μ  | 75 | 75 | 5    | 5     | TF010011S   | 24,80 |
| 120M 125μ | 75 | 75 | 5    | 5     | TF010012S   | 19,40 |
| 200M 74μ  | 75 | 75 | 5    | 5     | TF010013S   | 14,40 |
| 400M 40μ  | 75 | 75 | 5    | 5     | TF010015S   | 13,30 |
| 600M 20μ  | 75 | 75 | 5    | 5     | TF010016S   | 13,30 |
| 1000M 10μ | 75 | 75 | 5    | 5     | TF010017S50 | 14,00 |

#### 100x100

| #         | Ld  | W   | Min. | Mult. | Code        | €     |
|-----------|-----|-----|------|-------|-------------|-------|
| 60M 250μ  | 100 | 100 | 5    | 1     | TF010201S   | 48,50 |
| 120M 125μ | 100 | 100 | 5    | 1     | TF010202S   | 38,00 |
| 200M 74μ  | 100 | 100 | 5    | 1     | TF010203S   | 28,20 |
| 400M 40μ  | 100 | 100 | 5    | 1     | TF010205S   | 26,50 |
| 600M 20μ  | 100 | 100 | 5    | 1     | TF010206S   | 26,50 |
| 1000M 10μ | 100 | 100 | 5    | 1     | TF010207S50 | 31,60 |

#### 230x280

| #         | Ld  | W   | Min. | Mult. | Code        | €      |
|-----------|-----|-----|------|-------|-------------|--------|
| 120M 125μ | 230 | 280 | 1    | 1     | TF010022S   | 213,20 |
| 200M 74μ  | 230 | 280 | 1    | 1     | TF010023S   | 164,80 |
| 400M 40μ  | 230 | 280 | 1    | 1     | TF010025S   | 150,90 |
| 600M 20μ  | 230 | 280 | 1    | 1     | TF010026S   | 150,90 |
| 1000M 10μ | 230 | 280 | 1    | 1     | TF010027S50 | 150,90 |

## QRS backing diamond sheets

### Diaface Delta QRS

- Loop backing for rapid change of grit size
- Can be used by hand or with orbital sanders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



80

| #         | Ld | Min. | Mult. | Code      | €     |
|-----------|----|------|-------|-----------|-------|
| 60M 250μ  | 80 | 3    | 3     | TF030031S | 22,90 |
| 120M 125μ | 80 | 3    | 3     | TF030032S | 20,60 |
| 200M 74μ  | 80 | 3    | 3     | TF030033S | 15,20 |
| 400M 40μ  | 80 | 3    | 3     | TF030035S | 14,00 |
| 500R 30μ  | 80 | 3    | 3     | TF030035B | 9,00  |
| 1000R 10μ | 80 | 3    | 3     | TF030037R | 9,10  |

## QRS backing diamond sheets

### Moonflex QRS-F

- Loop backing for rapid change of grit size
- Can be used by hand or with orbital sanders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 120x70

| #         | Ld  | W  | Min. | Mult. | Code       | €     |
|-----------|-----|----|------|-------|------------|-------|
| 60M 250μ  | 120 | 70 | 3    | 3     | THF030081G | 45,70 |
| 120M 125μ | 120 | 70 | 3    | 3     | THF030082G | 35,30 |
| 200M 74μ  | 120 | 70 | 3    | 3     | THF030083G | 27,50 |
| 400M 40μ  | 120 | 70 | 3    | 3     | THF030085G | 26,80 |
| 500R 30μ  | 120 | 70 | 3    | 3     | THF030085C | 15,50 |
| 1000R 10μ | 120 | 70 | 3    | 3     | THF030087C | 15,50 |
| 8000R 2μ  | 120 | 70 | 3    | 3     | THF030088C | 15,50 |


## QRS backing diamond sheets

### Diaface QRS-F

- Loop backing for rapid change of grit size
- Can be used by hand or with orbital sanders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### 130x55

| #         | Ld  | W  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250μ  | 130 | 55 | 3    | 1     | TF030041S | 32,20 |
| 120M 125μ | 130 | 55 | 3    | 1     | TF030042S | 24,80 |
| 200M 74μ  | 130 | 55 | 3    | 1     | TF030043S | 19,40 |
| 400M 40μ  | 130 | 55 | 3    | 1     | TF030045S | 18,60 |
| 600M 20μ  | 130 | 55 | 3    | 1     | TF030046S | 18,60 |

#### 210x115

| #         | Ld  | W   | Min. | Mult. | Code      | €      |
|-----------|-----|-----|------|-------|-----------|--------|
| 60M 250μ  | 210 | 115 | 2    | 1     | TF030021S | 108,30 |
| 120M 125μ | 210 | 115 | 2    | 1     | TF030022S | 83,60  |
| 200M 74μ  | 210 | 115 | 2    | 1     | TF030023S | 65,00  |
| 400M 40μ  | 210 | 115 | 2    | 1     | TF030025S | 63,10  |
| 600M 20μ  | 210 | 115 | 2    | 1     | TF030026S | 63,10  |
| 500R 30μ  | 210 | 115 | 2    | 1     | TF030025B | 37,20  |
| 1000R 10μ | 210 | 115 | 2    | 1     | TF030027R | 37,20  |



Available accessories: TAQ See page 152

## QRS Flexible diamond discs

### Fastline QRS

- Loop backing for rapid change of grit size
- Should be used on wet sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø100 H16 +3F

| #         | Ø   | H  | Min. | Mult. | Code       | €     |
|-----------|-----|----|------|-------|------------|-------|
| 60M 250μ  | 100 | 16 | 5    | 1     | TFD070061S | 34,50 |
| 120M 125μ | 100 | 16 | 5    | 1     | TFD070062S | 30,50 |
| 200M 74μ  | 100 | 16 | 5    | 1     | TFD070063S | 22,20 |
| 400M 40μ  | 100 | 16 | 5    | 1     | TFD070065S | 20,60 |
| 600M 20μ  | 100 | 16 | 5    | 1     | TFD070066S | 20,60 |



## QRS Flexible diamond discs

### Diaface QRS

- Loop backing for rapid change of grit size
- Should be used on wet sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø80 H16

| #         | Ø  | H  | Min. | Mult. | Code      | €     |
|-----------|----|----|------|-------|-----------|-------|
| 60M 250μ  | 80 | 16 | 5    | 1     | TD130011S | 26,40 |
| 120M 125μ | 80 | 16 | 5    | 1     | TD130012S | 23,30 |
| 200M 74μ  | 80 | 16 | 5    | 1     | TD130013S | 17,10 |
| 400M 40μ  | 80 | 16 | 5    | 1     | TD130015S | 15,90 |
| 600M 20μ  | 80 | 16 | 5    | 1     | TD130016S | 15,90 |
| 500R 30μ  | 80 | 16 | 5    | 1     | TD130015B | 9,80  |
| 1000R 10μ | 80 | 16 | 5    | 1     | TD130017R | 9,80  |

#### Ø100 H16 +3F

| #         | Ø   | H  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250μ  | 100 | 16 | 5    | 1     | TD070061S | 41,00 |
| 120M 125μ | 100 | 16 | 5    | 1     | TD070062S | 35,90 |
| 200M 74μ  | 100 | 16 | 5    | 1     | TD070063S | 26,40 |
| 400M 40μ  | 100 | 16 | 5    | 1     | TD070065S | 24,10 |
| 600M 20μ  | 100 | 16 | 5    | 1     | TD070066S | 24,10 |
| 500R 30μ  | 100 | 16 | 5    | 1     | TD070065B | 15,90 |
| 1000R 10μ | 100 | 16 | 5    | 1     | TD070067R | 15,90 |
| 8000R 2μ  | 100 | 16 | 5    | 1     | TD070068R | 15,90 |

#### Ø115 H25

| #         | Ø   | H  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250μ  | 115 | 25 | 5    | 1     | TD080011S | 54,20 |
| 120M 125μ | 115 | 25 | 5    | 1     | TD080012S | 48,00 |
| 200M 74μ  | 115 | 25 | 5    | 1     | TD080013S | 35,30 |
| 400M 40μ  | 115 | 25 | 5    | 1     | TD080015S | 32,50 |
| 500R 30μ  | 115 | 25 | 5    | 1     | TD080015B | 21,00 |
| 1000R 10μ | 115 | 25 | 5    | 1     | TD080017R | 21,00 |

## QRS Flexible diamond discs

### Diaface QRS

- Loop backing for rapid change of grit size
- Should be used on wet sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø125 H25


| #         | Ø   | H  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250μ  | 125 | 25 | 3    | 1     | TD090021S | 63,90 |
| 120M 125μ | 125 | 25 | 3    | 1     | TD090022S | 56,50 |
| 200M 74μ  | 125 | 25 | 3    | 1     | TD090023S | 41,40 |
| 400M 40μ  | 125 | 25 | 3    | 1     | TD090025S | 38,40 |
| 500R 30μ  | 125 | 25 | 3    | 1     | TD090025B | 24,80 |
| 1000R 10μ | 125 | 25 | 3    | 1     | TD090027R | 24,80 |

### Moonflex QRS

- Loop backing for rapid change of grit size
- Should be used on wet sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø100 H16 +3F

| #         | Ø   | H  | Min. | Mult. | Code       | €     |
|-----------|-----|----|------|-------|------------|-------|
| 60M 250μ  | 100 | 16 | 5    | 1     | THD070061G | 44,90 |
| 120M 125μ | 100 | 16 | 5    | 1     | THD070062G | 39,90 |
| 200M 74μ  | 100 | 16 | 5    | 1     | THD070063G | 29,10 |

## Self-adhesive flexible diamond discs

### Diaface SA220

· Specific model for use on JPG220 mini-angle grinders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø30 H11

| #         | Ø  | H  | Min. | Mult. | Code      | €    |
|-----------|----|----|------|-------|-----------|------|
| 60M 250μ  | 30 | 11 | 10   | 10    | TD120061S | 4,70 |
| 120M 125μ | 30 | 11 | 10   | 10    | TD120062S | 4,18 |
| 200M 74μ  | 30 | 11 | 10   | 10    | TD120063S | 2,72 |
| 400M 40μ  | 30 | 11 | 10   | 10    | TD120065S | 2,72 |
| 600M 20μ  | 30 | 11 | 10   | 10    | TD120066S | 2,72 |



Available accessories: PLA-SA See page 139


## Self-adhesive flexible diamond discs

### Diaface SA 2PL

- Self-adhesive model with 2mm of foam material (2PL) to give slight flexibility
- Double holes configuration allows use on various models of sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø100 H16 +3F

| #         | Ø   | H  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250µ  | 100 | 16 | 5    | 1     | TD010081S | 39,10 |
| 120M 125µ | 100 | 16 | 5    | 1     | TD010082S | 32,20 |
| 200M 74µ  | 100 | 16 | 5    | 1     | TD010083S | 24,80 |
| 400M 40µ  | 100 | 16 | 5    | 1     | TD010085S | 23,30 |
| 600M 20µ  | 100 | 16 | 5    | 1     | TD010086S | 23,30 |
| 500R 30µ  | 100 | 16 | 5    | 1     | TD010085B | 14,40 |
| 1000R 10µ | 100 | 16 | 5    | 1     | TD010087R | 14,40 |


## Self-adhesive flexible diamond discs

### Moonflex SA 2PL

- Self-adhesive model with 2mm of foam material (2PL) to give slight flexibility
- Double holes configuration allows use on various models of sanding machines

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø100 H16 +3F

| #         | Ø   | H  | Min. | Mult. | Code       | €     |
|-----------|-----|----|------|-------|------------|-------|
| 60M 250µ  | 100 | 16 | 5    | 1     | THD010081G | 43,00 |
| 120M 125µ | 100 | 16 | 5    | 1     | THD010082G | 35,30 |
| 200M 74µ  | 100 | 16 | 5    | 1     | THD010083G | 27,20 |
| 400M 40µ  | 100 | 16 | 5    | 1     | THD010085G | 26,00 |
| 500R 30µ  | 100 | 16 | 5    | 1     | THD010085C | 16,00 |
| 1000R 10µ | 100 | 16 | 5    | 1     | THD010087C | 16,00 |




## Flexible diamond discs with TRK quick fastening

### Diaface TRK

- Fast-mounting flexible diamond discs with screw pin for specific TRK backing pads
- Ideal in small finishing operations

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø25

| #         | Ø  | Min. | Mult. | Code        | €     |
|-----------|----|------|-------|-------------|-------|
| 60M 250µ  | 25 | 2    | 1     | TD140061S10 | 12,80 |
| 120M 125µ | 25 | 2    | 1     | TD140062S10 | 12,80 |
| 200M 74µ  | 25 | 2    | 1     | TD140063S10 | 11,50 |
| 400M 40µ  | 25 | 2    | 1     | TD140065S10 | 11,60 |
| 600M 20µ  | 25 | 2    | 1     | TD140066S10 | 11,50 |
| 500R 30µ  | 25 | 2    | 1     | TD140065B   | 8,80  |
| 1000R 10µ | 25 | 2    | 1     | TD140067R   | 8,80  |
| 8000R 2µ  | 25 | 2    | 1     | TD140068R   | 8,80  |

#### Ø50

| #         | Ø  | Min. | Mult. | Code        | €     |
|-----------|----|------|-------|-------------|-------|
| 60M 250µ  | 50 | 2    | 1     | TD140041S10 | 25,40 |
| 120M 125µ | 50 | 2    | 1     | TD140042S10 | 20,70 |
| 200M 74µ  | 50 | 2    | 1     | TD140043S10 | 17,25 |
| 400M 40µ  | 50 | 2    | 1     | TD140045S10 | 17,25 |



Available accessories: PLA-TRK See page 140



## Diamond belts for expanding rubber drum with shank

### Diaface SP1

- Spirally wound small diamond belts
- Can be mounted on small expanding rubber drums with 6mm shank in order to be used on small straight grinders or NC machines for bore finishing or light deburring

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø15x30

| #         | Ø  | T  | Min. | Mult. | Code      | €     |
|-----------|----|----|------|-------|-----------|-------|
| 60M 250μ  | 15 | 30 | 2    | 2     | TN060011S | 22,90 |
| 120M 125μ | 15 | 30 | 2    | 2     | TN060012S | 22,20 |
| 200M 74μ  | 15 | 30 | 2    | 2     | TN060013S | 20,60 |
| 400M 40μ  | 15 | 30 | 2    | 2     | TN060015S | 19,40 |
| 600M 20μ  | 15 | 30 | 2    | 2     | TN060016S | 19,40 |
| 500R 30μ  | 15 | 30 | 2    | 2     | TN060015B | 17,80 |
| 1000R 10μ | 15 | 30 | 2    | 2     | TN060017R | 17,80 |
| 8000R 2μ  | 15 | 30 | 2    | 2     | TN060018R | 17,80 |

#### Ø30x30

| #         | Ø  | T  | Min. | Mult. | Code      | €     |
|-----------|----|----|------|-------|-----------|-------|
| 60M 250μ  | 30 | 30 | 2    | 1     | TN060041S | 33,00 |
| 120M 125μ | 30 | 30 | 2    | 1     | TN060042S | 31,00 |
| 200M 74μ  | 30 | 30 | 2    | 1     | TN060043S | 27,50 |
| 400M 40μ  | 30 | 30 | 2    | 1     | TN060045S | 27,20 |
| 600M 20μ  | 30 | 30 | 2    | 1     | TN060046S | 27,20 |
| 500R 30μ  | 30 | 30 | 2    | 1     | TN060045B | 22,50 |
| 1000R 10μ | 30 | 30 | 2    | 1     | TN060047R | 22,50 |
| 8000R 2μ  | 30 | 30 | 2    | 1     | TN060048R | 22,50 |



Available accessories: RGE6 See page 142

## Diamond belts for expanding rubber drum with shank

### Moonflex SP1

- Spirally wound small diamond belts
- Can be mounted on small expanding rubber drums with 6mm shank in order to be used on small straight grinders or NC machines for bore finishing or light deburring

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø15x30

| #         | Ø  | T  | Min. | Mult. | Code       | €     |
|-----------|----|----|------|-------|------------|-------|
| 60M 250µ  | 15 | 30 | 2    | 2     | THN060011G | 25,20 |
| 120M 125µ | 15 | 30 | 2    | 2     | THN060012G | 24,40 |
| 200M 74µ  | 15 | 30 | 2    | 2     | THN060013G | 22,50 |



Available accessories: RGE6 See page 142

## Diamond belts for expanding rubber drums

### Diaface SP2

- Diamond belts in SP (spiral joint) construction available from Ø50 to Ø100mm
- They are mounted on rubber expansion wheels that can be used on CNC contouring machines, bench grinders or portable sanders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø50x42

| #         | Ø  | T  | Min. | Mult. | Code      | €     |
|-----------|----|----|------|-------|-----------|-------|
| 60M 250µ  | 50 | 42 | 1    | 1     | TN060181S | 40,60 |
| 120M 125µ | 50 | 42 | 1    | 1     | TN060182S | 35,20 |
| 200M 74µ  | 50 | 42 | 1    | 1     | TN060183S | 26,30 |
| 400M 40µ  | 50 | 42 | 1    | 1     | TN060185S | 23,60 |
| 600M 20µ  | 50 | 42 | 1    | 1     | TN060186S | 23,60 |
| 500R 30µ  | 50 | 42 | 1    | 1     | TN060185B | 19,60 |
| 1000R 10µ | 50 | 42 | 1    | 1     | TN060187R | 19,60 |
| 8000R 2µ  | 50 | 42 | 1    | 1     | TN060188R | 19,60 |

#### Ø75x38

| #         | Ø  | T  | Min. | Mult. | Code      | €     |
|-----------|----|----|------|-------|-----------|-------|
| 60M 250µ  | 75 | 38 | 1    | 1     | TN060171S | 49,20 |
| 120M 125µ | 75 | 38 | 1    | 1     | TN060172S | 38,70 |
| 200M 74µ  | 75 | 38 | 1    | 1     | TN060173S | 38,10 |
| 400M 40µ  | 75 | 38 | 1    | 1     | TN060175S | 33,60 |
| 600M 20µ  | 75 | 38 | 1    | 1     | TN060176S | 33,60 |
| 500R 30µ  | 75 | 38 | 1    | 1     | TN060175B | 26,60 |
| 1000R 10µ | 75 | 38 | 1    | 1     | TN060177R | 26,60 |

#### Ø100x38

| #         | Ø   | T  | Min. | Mult. | Code      | €     |
|-----------|-----|----|------|-------|-----------|-------|
| 60M 250µ  | 100 | 38 | 1    | 1     | TN060241S | 58,10 |
| 120M 125µ | 100 | 38 | 1    | 1     | TN060242S | 51,60 |
| 200M 74µ  | 100 | 38 | 1    | 1     | TN060243S | 46,40 |
| 400M 40µ  | 100 | 38 | 1    | 1     | TN060245S | 44,10 |



Available accessories: RGE See page 142

## Diamond belts for expanding rubber drums

### Moonflex SP2

- Diamond belts in SP (spiral joint) construction available from Ø50 to Ø100mm
- They are mounted on rubber expansion wheels that can be used on CNC contouring machines, bench grinders or portable sanders

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



#### Ø50x42

| #         | Ø  | T  | Min. | Mult. | Code       | €     |
|-----------|----|----|------|-------|------------|-------|
| 60M 250µ  | 50 | 42 | 1    | 1     | THN060181G | 46,50 |
| 120M 125µ | 50 | 42 | 1    | 1     | THN060182G | 39,50 |
| 200M 74µ  | 50 | 42 | 1    | 1     | THN060183G | 30,30 |
| 400M 40µ  | 50 | 42 | 1    | 1     | THN060185G | 27,20 |
| 500R 30µ  | 50 | 42 | 1    | 1     | THN060185C | 22,50 |
| 1000R 10µ | 50 | 42 | 1    | 1     | THN060187C | 22,50 |


#### Ø75x38

| #         | Ø  | T  | Min. | Mult. | Code       | €     |
|-----------|----|----|------|-------|------------|-------|
| 60M 250µ  | 75 | 38 | 1    | 1     | THN060171G | 50,00 |
| 120M 125µ | 75 | 38 | 1    | 1     | THN060172G | 44,20 |
| 200M 74µ  | 75 | 38 | 1    | 1     | THN060173G | 40,30 |
| 400M 40µ  | 75 | 38 | 1    | 1     | THN060175G | 38,80 |
| 500R 30µ  | 75 | 38 | 1    | 1     | THN060175C | 30,70 |
| 1000R 10µ | 75 | 38 | 1    | 1     | THN060177C | 30,70 |



Available accessories: RGE See page 142

## Dry polishing pads



## Diamond flap discs

### FASTLINE LM

- Very high cutting speed on all materials
- A cup wheel performance combined with the easy of use of flap disc

★ **1st choice:**

Marble, Granite, Engineered stone, Ultra-compact materials, Porcelain, Ceramics, Universal

**suitable:**

Quartzite



#### Ø115 H22,23

| #    | Ø   | H     | Min. | Mult. | Code       | €     |
|------|-----|-------|------|-------|------------|-------|
| 50M  | 115 | 22,23 | 1    | 1     | TFSD030010 | 72,50 |
| 60M  | 115 | 22,23 | 1    | 1     | TFSD030011 | 59,00 |
| 120M | 115 | 22,23 | 1    | 1     | TFSD030012 | 59,00 |
| 200M | 115 | 22,23 | 1    | 1     | TFSD030013 | 59,00 |



Available accessories: LMFL See page 140



## Diamond flap discs

### FASTLINE T


- Hybrid version with diamond and silicon carbide blades
- Better finish than LM model due to superior flexibility

★ **1st choice:**

Marble, Granite, Engineered stone, Ultra-compact materials, Porcelain, Ceramics, Universal

**suitable:**

Quartzite



#### Ø115 H22,23

| #    | Ø   | H     | Min. | Mult. | Code       | €     |
|------|-----|-------|------|-------|------------|-------|
| 60M  | 115 | 22,23 | 1    | 1     | TFSD030021 | 45,50 |
| 120M | 115 | 22,23 | 1    | 1     | TFSD030022 | 45,50 |
| 200M | 115 | 22,23 | 1    | 1     | TFSD030023 | 45,50 |
| 400M | 115 | 22,23 | 1    | 1     | TFSD030024 | 45,50 |



Available accessories: LMFL See page 140

## Dryface EP semirigid QRS polishing pads

### DRYFACE MOON


- Very high stock removal coupled with a reasonable flexibility
- Long life
- Particularly suitable for hard limestones
- To be used with dedicated back up pad DRY100V

★ **1st choice:**

Marble, Engineered stone, Ultra-compact materials, Porcelain, Universal

**suitable:**

Granite, Quartzite



#### Ø100 H16

| #    | Ø   | H  | Min. | Mult. | Code       | €     |
|------|-----|----|------|-------|------------|-------|
| 50M  | 100 | 16 | 1    | 1     | THSD010010 | 60,90 |
| 60M  | 100 | 16 | 1    | 1     | THSD010011 | 60,90 |
| 120M | 100 | 16 | 1    | 1     | THSD010012 | 60,90 |
| 200M | 100 | 16 | 1    | 1     | THSD010013 | 54,70 |
| 400M | 100 | 16 | 1    | 1     | THSD010014 | 54,70 |



Available accessories: PLA-QD See page 137

## Resin bonded Dryface QRS polishing pads

### I-DIA MX

- Latest generation of flexible diamond abrasives
- Very nice finishing on all materials
- Very competitive price

#### ★ 1st choice:

Marble, Granite, Engineered stone, Ultra-compact materials, Porcelain, Ceramics

#### suitable:

Quartzite, Terrazzo



#### Ø100 H15

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 60   | 100 | 15 | 5    | 5     | MXD010011 | 6,30  |
| 120  | 100 | 15 | 5    | 5     | MXD010012 | 6,30  |
| 200  | 100 | 15 | 5    | 5     | MXD010013 | 6,30  |
| 400  | 100 | 15 | 5    | 5     | MXD010014 | 6,30  |
| 800  | 100 | 15 | 5    | 5     | MXD010015 | 6,30  |
| 1500 | 100 | 15 | 5    | 5     | MXD010016 | 6,30  |
| 3000 | 100 | 15 | 5    | 5     | MXD010017 | 6,30  |
| Set  | 100 | 15 | 1    | 1     | MXD010010 | 44,10 |

#### Ø115 H15

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 60   | 115 | 15 | 5    | 5     | MXD010021 | 7,80  |
| 120  | 115 | 15 | 5    | 5     | MXD010022 | 7,80  |
| 200  | 115 | 15 | 5    | 5     | MXD010023 | 7,80  |
| 400  | 115 | 15 | 5    | 5     | MXD010024 | 7,80  |
| 800  | 115 | 15 | 5    | 5     | MXD010025 | 7,80  |
| 1500 | 115 | 15 | 5    | 5     | MXD010026 | 7,80  |
| 3000 | 115 | 15 | 5    | 5     | MXD010027 | 7,80  |
| Set  | 115 | 15 | 1    | 1     | MXD010020 | 54,60 |

#### Ø125 H15

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 60   | 125 | 15 | 5    | 5     | MXD010031 | 9,30  |
| 120  | 125 | 15 | 5    | 5     | MXD010032 | 9,30  |
| 200  | 125 | 15 | 5    | 5     | MXD010033 | 9,30  |
| 400  | 125 | 15 | 5    | 5     | MXD010034 | 9,30  |
| 800  | 125 | 15 | 5    | 5     | MXD010035 | 9,30  |
| 1500 | 125 | 15 | 5    | 5     | MXD010036 | 9,30  |
| 3000 | 125 | 15 | 5    | 5     | MXD010037 | 9,30  |
| Set  | 125 | 15 | 1    | 1     | MXD010030 | 65,10 |

## Resin bonded Dryface QRS polishing pads

### FASTLINE SD2

- Excellent price/quality ratio
- High quality polishing without any change in worked material colour

★ **1st choice:**

Granite, Engineered stone, Porcelain, Ceramics

**suitable:**

Marble, Concrete



#### Ø100 H16

| #    | Ø   | H  | Min. | Mult. | Code       | €     |
|------|-----|----|------|-------|------------|-------|
| 50   | 100 | 16 | 1    | 1     | FSD2010011 | 12,00 |
| 100  | 100 | 16 | 1    | 1     | FSD2010012 | 12,00 |
| 200  | 100 | 16 | 1    | 1     | FSD2010013 | 12,00 |
| 400  | 100 | 16 | 1    | 1     | FSD2010014 | 12,00 |
| 800  | 100 | 16 | 1    | 1     | FSD2010015 | 12,00 |
| 1500 | 100 | 16 | 1    | 1     | FSD2010016 | 12,00 |
| 3000 | 100 | 16 | 1    | 1     | FSD2010017 | 12,00 |

## Resin bonded Dryface QRS polishing pads

### DRYFACE RS

- The bestseller in dry polishing of hard materials
- It marries very fast grinding with top level polishing results

★ **1st choice:**

Granite, Engineered stone, Porcelain

**suitable:**

Marble



#### Ø100 H20

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 50   | 100 | 20 | 1    | 1     | SSD010011 | 28,50 |
| 100  | 100 | 20 | 1    | 1     | SSD010012 | 28,50 |
| 200  | 100 | 20 | 1    | 1     | SSD010013 | 28,50 |
| 400  | 100 | 20 | 1    | 1     | SSD010014 | 28,50 |
| 800  | 100 | 20 | 1    | 1     | SSD010015 | 28,50 |
| 1500 | 100 | 20 | 1    | 1     | SSD010016 | 28,50 |
| 3000 | 100 | 20 | 1    | 1     | SSD010017 | 28,50 |
| Buff | 100 | 20 | 1    | 1     | SSD010018 | 33,00 |


## Resin bonded Dryface QRS polishing pads

### DRYFACE XT

- Very good quality polishing with long life
- Excellent even on concrete polishing

★ **1st choice:**

Marble, Granite, Porcelain, Concrete




#### Ø100 H18

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 50   | 100 | 18 | 1    | 1     | XTD010011 | 35,00 |
| 100  | 100 | 18 | 1    | 1     | XTD010012 | 30,00 |
| 200  | 100 | 18 | 1    | 1     | XTD010013 | 30,00 |
| 400  | 100 | 18 | 1    | 1     | XTD010014 | 30,00 |
| 800  | 100 | 18 | 1    | 1     | XTD010015 | 30,00 |
| 1500 | 100 | 18 | 1    | 1     | XTD010016 | 30,00 |
| 3000 | 100 | 18 | 1    | 1     | XTD010017 | 30,00 |



## Wet polishing pads



## Resin bonded polishing pads

### DIAHARD ECO


- Very good price/quality ratio
- High stock removal and good polishing on hard materials

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Porcelain



#### Ø100 H16

| #    | Ø   | H  | Min. | Mult. | Code     | €     |
|------|-----|----|------|-------|----------|-------|
| 50   | 100 | 16 | 5    | 1     | HD020021 | 12,00 |
| 100  | 100 | 16 | 5    | 1     | HD020022 | 12,00 |
| 200  | 100 | 16 | 5    | 1     | HD020023 | 12,00 |
| 400  | 100 | 16 | 5    | 1     | HD020024 | 12,00 |
| 800  | 100 | 16 | 5    | 1     | HD020025 | 12,00 |
| 1500 | 100 | 16 | 5    | 1     | HD020026 | 12,00 |
| 3000 | 100 | 16 | 5    | 1     | HD020027 | 12,00 |
| Buff | 100 | 16 | 5    | 1     | HD020028 | 12,00 |

## Resin bonded polishing pads

### DIAHARD XT

- The world's top wet polish
- Can be used on any hard material
- Very short processing times

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



#### Ø80 H20

| # | Ø  | H  | Min. | Mult. | Code     | €     |
|---|----|----|------|-------|----------|-------|
| 1 | 80 | 20 | 1    | 1     | HW030011 | 31,00 |
| 2 | 80 | 20 | 1    | 1     | HW030012 | 31,00 |
| 3 | 80 | 20 | 1    | 1     | HW030013 | 31,00 |
| 4 | 80 | 20 | 1    | 1     | HW030014 | 31,00 |
| 5 | 80 | 20 | 1    | 1     | HW030015 | 31,00 |
| 6 | 80 | 20 | 1    | 1     | HW030016 | 31,00 |

#### Ø100 H20

| # | Ø   | H  | Min. | Mult. | Code     | €     |
|---|-----|----|------|-------|----------|-------|
| 0 | 100 | 20 | 1    | 1     | HW030020 | 61,00 |
| 1 | 100 | 20 | 1    | 1     | HW030021 | 40,00 |
| 2 | 100 | 20 | 1    | 1     | HW030022 | 40,00 |
| 3 | 100 | 20 | 1    | 1     | HW030023 | 40,00 |
| 4 | 100 | 20 | 1    | 1     | HW030024 | 40,00 |
| 5 | 100 | 20 | 1    | 1     | HW030025 | 40,00 |
| 6 | 100 | 20 | 1    | 1     | HW030026 | 40,00 |


## Resin bonded polishing pads

### DIAHARD XT3

· Excellent polishing in just 3 steps

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



Ø100

| # | Ø   | Min. | Mult. | Code       | €     |
|---|-----|------|-------|------------|-------|
| 1 | 100 | 1    | 1     | XT3D010011 | 40,00 |
| 2 | 100 | 1    | 1     | XT3D010012 | 40,00 |
| 3 | 100 | 1    | 1     | XT3D010013 | 40,00 |


## Diamond nonwoven pads for flooring

### RXD

- Allows quality finishing in a very short time
- QRS system allows a quick tool change and gives a light flexibility

★ **1st choice:**

Marble, Granite, Engineered stone, Porcelain, Universal



#### Ø200 H50

| #    | Ø   | H  | Min. | Mult. | Code      | €     |
|------|-----|----|------|-------|-----------|-------|
| 50   | 200 | 50 | 1    | 1     | RXD200050 | 60,00 |
| 100  | 200 | 50 | 1    | 1     | RXD200100 | 60,00 |
| 200  | 200 | 50 | 1    | 1     | RXD200200 | 60,00 |
| 400  | 200 | 50 | 1    | 1     | RXD200400 | 60,00 |
| 800  | 200 | 50 | 1    | 1     | RXD200800 | 60,00 |
| 1500 | 200 | 50 | 1    | 1     | RXD201500 | 60,00 |
| 3000 | 200 | 50 | 1    | 1     | RXD203000 | 60,00 |



Available accessories: MV See page 150

## Diamond nonwoven pads for flooring

### DIAFLOOR SPB

- Can be used with single-brush machines for floor sanding
- Allows maintenance of surfaces without the use of chemicals

★ **1st choice:**

Marble, Granite, Engineered stone, Ultra-compact materials, Porcelain, Ceramics, Terrazzo, Concrete




Ø430

| #    | Ø   | Min. | Mult. | Code      | €     |
|------|-----|------|-------|-----------|-------|
| 400  | 430 | 1    | 1     | DF430SPB1 | 66,00 |
| 800  | 430 | 1    | 1     | DF430SPB2 | 55,00 |
| 1500 | 430 | 1    | 1     | DF430SPB3 | 55,00 |
| 3000 | 430 | 1    | 1     | DF430SPB4 | 55,00 |



## Maflex - Abrasive brushes



## Brushes for angle grinders

### DA-TX


- Abrasive disc brush
- Hybrid fitting (M14+SF)
- Works both on flat surface and edge, even irregular ones

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite



| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code         | €     |
|-----|-----|----|----|-----------------|-----|------|-------|--------------|-------|
| 24  | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX2430  | 23,50 |
| 36  | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX3630  | 20,50 |
| 46  | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX4630  | 20,50 |
| 60  | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX6030  | 20,50 |
| 80  | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX8030  | 20,50 |
| 120 | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX12030 | 20,50 |
| 180 | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX18030 | 20,50 |
| 240 | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX24030 | 20,50 |
| 320 | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX32030 | 20,50 |
| 500 | 107 | 30 | 30 | M14+SF DX       | SiC | 1    | 1     | DA107TX50030 | 20,50 |


## Brushes for angle grinders

### DA-DIA

- Very high stock removal
- On medium hard material we suggest #60 as first position

★ **1st choice:**

Marble, Granite, Engineered stone, Terrazzo



| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code        | €     |
|-----|-----|----|----|-----------------|-----|------|-------|-------------|-------|
| 36  | 107 | 30 | 30 | M14+SF DX       | Dia | 1    | 1     | DA107DH36R  | 59,50 |
| 60  | 107 | 30 | 30 | M14+SF DX       | Dia | 1    | 1     | DA107DH60R  | 59,50 |
| 120 | 107 | 30 | 30 | M14+SF DX       | Dia | 1    | 1     | DA107DH120R | 59,50 |
| 240 | 107 | 30 | 30 | M14+SF DX       | Dia | 1    | 1     | DA107DH240R | 59,50 |

### R13-TX


- Cylindrical abrasive brush for edges
- The shape allows finishing on highly profiled pieces

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite



| #   | Ø   | T  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code       | €     |
|-----|-----|----|----|-----------------|-----|------|-------|------------|-------|
| 46  | 130 | 50 | 25 | M14             | SiC | 1    | 1     | R13TX4625  | 49,00 |
| 80  | 130 | 50 | 25 | M14             | SiC | 1    | 1     | R13TX8025  | 49,00 |
| 120 | 130 | 50 | 25 | M14             | SiC | 1    | 1     | R13TX12025 | 49,00 |
| 240 | 130 | 50 | 25 | M14             | SiC | 1    | 1     | R13TX24025 | 49,00 |

## Brushes for edge polishing machines

### SF-TX


- Abrasive disc brush with snail fitting
- This model can work both on flat edge or bullnose

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite



| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code         | €     |
|-----|-----|----|----|-----------------|-----|------|-------|--------------|-------|
| 24  | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX2430  | 33,00 |
| 36  | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX3630  | 29,00 |
| 46  | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX4630  | 29,00 |
| 60  | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX6030  | 29,00 |
| 80  | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX8030  | 29,00 |
| 120 | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX12030 | 29,00 |
| 180 | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX18030 | 29,00 |
| 240 | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX24030 | 29,00 |
| 320 | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX32030 | 29,00 |
| 500 | 130 | 40 | 30 | SF DX           | SiC | 1    | 1     | SF130TX50030 | 29,00 |


## Brushes for edge polishing machines

### SF-DIA

- Rigid and aggressive filament perfect for edging machine
- Particularly suited for compact materials

★ **1st choice:**

Marble, Granite, Engineered stone, Terrazzo



| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code        | €     |
|-----|-----|----|----|-----------------|-----|------|-------|-------------|-------|
| 36  | 130 | 40 | 35 | SF DX           | Dia | 1    | 1     | SF130DH36R  | 93,00 |
| 60  | 130 | 40 | 35 | SF DX           | Dia | 1    | 1     | SF130DH60R  | 93,00 |
| 120 | 130 | 40 | 35 | SF DX           | Dia | 1    | 1     | SF130DH120R | 93,00 |

## Brushes for radial arm machines

### LBM-TX


- High filament density allows a very deep texturing
- Quick change on magnetic holders

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite




| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code         | €     |
|-----|-----|----|----|-----------------|-----|------|-------|--------------|-------|
| 24  | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX2430  | 84,00 |
| 36  | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX3630  | 84,00 |
| 46  | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX4630  | 84,00 |
| 60  | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX6030  | 84,00 |
| 80  | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX8030  | 84,00 |
| 120 | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX12030 | 84,00 |
| 240 | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX24030 | 84,00 |
| 320 | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX32030 | 84,00 |
| 500 | 250 | 65 | 30 | MAG             | SiC | 1    | 1     | MG250TX50030 | 84,00 |

### LBM-DIA

- Fast texturing of extremely hard or compact materials
- On medium hard material we suggest #60 as first position

★ **1st choice:**

Marble, Granite, Engineered stone, Terrazzo



| #   | Ø   | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code        | €      |
|-----|-----|----|----|-----------------|-----|------|-------|-------------|--------|
| 36  | 250 | 65 | 35 | MAG             | Dia | 1    | 1     | MG250DH36R  | 348,00 |
| 60  | 250 | 65 | 35 | MAG             | Dia | 1    | 1     | MG250DH60R  | 348,00 |
| 120 | 250 | 65 | 35 | MAG             | Dia | 1    | 1     | MG250DH120R | 348,00 |



## Brushes for radial arm machines

### LBQ-TX


· Quick QRS hook/loop attachment

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite



| #   | Ø   | W  | Sp | Abr | Min. | Mult. | Code        | €     |
|-----|-----|----|----|-----|------|-------|-------------|-------|
| 36  | 250 | 65 | 30 | SiC | 1    | 1     | V250TX3630  | 96,00 |
| 60  | 250 | 65 | 30 | SiC | 1    | 1     | V250TX6030  | 96,00 |
| 120 | 250 | 65 | 30 | SiC | 1    | 1     | V250TX12030 | 96,00 |
| 240 | 250 | 65 | 30 | SiC | 1    | 1     | V250TX24030 | 96,00 |

## Brushes for polishing lines

### FK-TX


- Frankfurt shape brush with high filament density
- Very high and even output on medium soft materials

★ **1st choice:**

Marble, Engineered stone, Terrazzo

**suitable:**

Granite



| #   | L  | W <sub>1</sub> | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code      | €     |
|-----|----|----------------|----|----|-----------------|-----|------|-------|-----------|-------|
| 24  | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX2430  | 22,50 |
| 36  | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX3630  | 19,50 |
| 46  | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX4630  | 19,50 |
| 60  | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX6030  | 19,50 |
| 80  | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX8030  | 19,50 |
| 120 | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX12030 | 19,50 |
| 180 | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX18030 | 19,50 |
| 240 | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX24030 | 19,50 |
| 320 | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX32030 | 19,50 |
| 500 | 90 | 65             | 85 | 30 | Frankfurt       | SiC | 1    | 1     | FKTX50030 | 19,50 |


## Brushes for polishing lines

### FK-DIA

- Diamond impregnated filament is particularly aggressive
- Hard material processing even on marble polishing lines

★ **1st choice:**


Marble, Granite, Engineered stone, Terrazzo



| #   | L  | W <sub>1</sub> | W  | Sp | AT <sub>1</sub> | Abr | Min. | Mult. | Code     | €     |
|-----|----|----------------|----|----|-----------------|-----|------|-------|----------|-------|
| 36  | 90 | 65             | 85 | 35 | Frankfurt       | Dia | 1    | 1     | FKDH36R  | 59,50 |
| 46  | 90 | 65             | 85 | 35 | Frankfurt       | Dia | 1    | 1     | FKDH46R  | 59,50 |
| 60  | 90 | 65             | 85 | 35 | Frankfurt       | Dia | 1    | 1     | FKDH60R  | 59,50 |
| 120 | 90 | 65             | 85 | 35 | Frankfurt       | Dia | 1    | 1     | FKDH120R | 59,50 |



## Diamond drilling tools



## VB Dry Diamond core drills

### FVB TE


- Hex shank for portable drills
- VB technology for fast drilling and long life
- Contains lubricant to prevent overheating

★ **1st choice:**

Porcelain, Ceramics, Marble, Granite, Engineered stone

**suitable:**

Ultra-compact materials, Porcelain, Concrete, Quartzite



| Ø  | T  | Lu | Y    | L  | Min. | Mult. | Code        | €     |
|----|----|----|------|----|------|-------|-------------|-------|
| 6  | 10 | 33 | 9,52 | 68 | 1    | 1     | FVB006035TE | 21,00 |
| 8  | 10 | 40 | 9,52 | 80 | 1    | 1     | FVB008035TE | 21,00 |
| 10 | 10 | 35 | 9,52 | 80 | 1    | 1     | FVB010035TE | 21,00 |
| 12 | 10 | 35 | 9,52 | 80 | 1    | 1     | FVB012035TE | 22,00 |



## VB Dry Diamond core drills

### FVB M14


- M14 attachment for angle grinders. VB technology for fast drilling and long life
- Contains lubricant to prevent overheating

★ **1st choice:**

Porcelain, Ceramics, Marble, Granite, Engineered stone

**suitable:**

Ultra-compact materials, Porcelain, Concrete, Quartzite



| Ø  | T  | Lu | L  | AT <sub>1</sub> | Min. | Mult. | Code         | €     |
|----|----|----|----|-----------------|------|-------|--------------|-------|
| 6  | 10 | 35 | 75 | M14             | 1    | 1     | FVB006050M14 | 22,00 |
| 7  | 10 | 35 | 75 | M14             | 1    | 1     | FVB007050M14 | 22,00 |
| 8  | 10 | 35 | 75 | M14             | 1    | 1     | FVB008050M14 | 22,00 |
| 10 | 10 | 35 | 75 | M14             | 1    | 1     | FVB010050M14 | 22,00 |
| 12 | 10 | 35 | 75 | M14             | 1    | 1     | FVB012050M14 | 24,00 |
| 15 | 10 | 35 | 75 | M14             | 1    | 1     | FVB015050M14 | 28,00 |



Available accessories: AG19 See page 147

## VB Dry Diamond core drills

### FVB M14 S


- M14 attachment for angle grinders
- VB technology for fast drilling and long life
- Millings on the tool body allow fast cooling and easy core removal

★ **1st choice:**

Porcelain, Ceramics, Marble, Granite, Engineered stone

**suitable:**

Ultra-compact materials, Porcelain, Concrete, Quartzite



| Ø   | T  | Lu | L  | AT <sub>1</sub> | Min. | Mult. | Code         | €      |
|-----|----|----|----|-----------------|------|-------|--------------|--------|
| 20  | 15 | 35 | 60 | M14             | 1    | 1     | FVB020050M14 | 32,00  |
| 22  | 15 | 35 | 60 | M14             | 1    | 1     | FVB022050M14 | 29,00  |
| 25  | 15 | 35 | 60 | M14             | 1    | 1     | FVB025050M14 | 32,00  |
| 30  | 15 | 35 | 60 | M14             | 1    | 1     | FVB030050M14 | 39,00  |
| 35  | 15 | 35 | 60 | M14             | 1    | 1     | FVB035050M14 | 44,00  |
| 40  | 15 | 35 | 60 | M14             | 1    | 1     | FVB040050M14 | 50,00  |
| 45  | 15 | 35 | 60 | M14             | 1    | 1     | FVB045050M14 | 57,00  |
| 50  | 15 | 35 | 60 | M14             | 1    | 1     | FVB050050M14 | 63,00  |
| 55  | 15 | 35 | 60 | M14             | 1    | 1     | FVB055050M14 | 69,00  |
| 60  | 15 | 35 | 60 | M14             | 1    | 1     | FVB060050M14 | 76,00  |
| 65  | 15 | 35 | 60 | M14             | 1    | 1     | FVB065050M14 | 83,00  |
| 68  | 15 | 35 | 60 | M14             | 1    | 1     | FVB068050M14 | 87,00  |
| 70  | 15 | 35 | 60 | M14             | 1    | 1     | FVB070050M14 | 89,00  |
| 75  | 15 | 35 | 60 | M14             | 1    | 1     | FVB075050M14 | 96,00  |
| 80  | 15 | 35 | 60 | M14             | 1    | 1     | FVB080050M14 | 100,00 |
| 85  | 15 | 35 | 60 | M14             | 1    | 1     | FVB085050M14 | 108,00 |
| 90  | 15 | 35 | 60 | M14             | 1    | 1     | FVB090050M14 | 115,00 |
| 100 | 15 | 35 | 60 | M14             | 1    | 1     | FVB100050M14 | 125,00 |
| 105 | 15 | 35 | 60 | M14             | 1    | 1     | FVB105050M14 | 148,00 |
| 110 | 15 | 35 | 60 | M14             | 1    | 1     | FVB110050M14 | 138,00 |



Available accessories: AG19 See page 147

## VB Diamond core drills - Case set

### KITFVB1

· Assortment in case Ø15-20-25-30-35-40 M14 connection

★ **1st choice:**

Marble, Granite, Engineered stone, Porcelain, Ceramics

**suitable:**

Quartzite, Ultra-compact materials, Porcelain, Concrete, Universal



| AT <sub>1</sub> | Min. | Mult. | Code    | €      |
|-----------------|------|-------|---------|--------|
| M14             | 1    | 1     | KITFVB1 | 215,00 |

### KITFVB2

· Assortment in case Ø20-35-55-68 M14 connection

★ **1st choice:**

Marble, Granite, Engineered stone, Porcelain, Ceramics

**suitable:**

Quartzite, Ultra-compact materials, Porcelain, Concrete, Universal



| AT <sub>1</sub> | Min. | Mult. | Code    | €      |
|-----------------|------|-------|---------|--------|
| M14             | 1    | 1     | KITFVB2 | 221,00 |

VB Diamond core drills - Case set

**KITFVB3**

· Assortment in case Ø6-8-10-12-20-30-35 M14 connection

★ **1st choice:**

Marble, Granite, Engineered stone, Porcelain, Ceramics

**suitable:**

Quartzite, Ultra-compact materials, Porcelain, Concrete, Universal



| AT <sub>1</sub> | Min. | Mult. | Code    | €      |
|-----------------|------|-------|---------|--------|
| M14             | 1    | 1     | KITFVB3 | 198,00 |

## Dry diamond core drills

### FDS


- M14 connection for use with angle grinders
- The reinforced sintered segments guarantee exceptional durability and high drilling speed
- The millings on the tool body allow rapid cooling and rapid removal of the core

★ **1st choice:**

Porcelain, Ultra-compact materials, Granite

**suitable:**

Engineered stone



| Ø  | L <sub>2</sub> | W | X | Lu | Z | L  | AT <sub>1</sub> | Min. | Mult. | Code         | €      |
|----|----------------|---|---|----|---|----|-----------------|------|-------|--------------|--------|
| 20 | 8              | 2 | 8 | 40 | 4 | 77 | M14             | 1    | 1     | FDS020040M14 | 74,00  |
| 25 | 12             | 2 | 8 | 40 | 4 | 77 | M14             | 1    | 1     | FDS035040M14 | 74,00  |
| 30 | 15.5           | 2 | 8 | 40 | 4 | 77 | M14             | 1    | 1     | FDS025040M14 | 77,00  |
| 35 | 15.5           | 2 | 8 | 40 | 4 | 77 | M14             | 1    | 1     | FDS030040M14 | 83,00  |
| 40 | 15.5           | 2 | 8 | 40 | 5 | 77 | M14             | 1    | 1     | FDS040040M14 | 91,00  |
| 50 | 23.5           | 2 | 8 | 40 | 5 | 77 | M14             | 1    | 1     | FDS050040M14 | 120,00 |
| 60 | 23.5           | 2 | 8 | 40 | 5 | 77 | M14             | 1    | 1     | FDS060040M14 | 143,00 |
| 68 | 23.5           | 2 | 8 | 40 | 6 | 77 | M14             | 1    | 1     | FDS068040M14 | 165,00 |

## Wet diamond non coring drills

### CG


- Sintered solid non coring drills
- For precise blind bores

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Porcelain, Ceramics



| Ø   | X  | Lu | Y  | L  | Min. | Mult. | Code      | €     |
|-----|----|----|----|----|------|-------|-----------|-------|
| 3,5 | 7  | 25 | 10 | 75 | 1    | 1     | CG035ST10 | 35,40 |
| 4   | 7  | 25 | 10 | 82 | 1    | 1     | CG04ST10  | 27,90 |
| 5   | 7  | 30 | 10 | 82 | 1    | 1     | CG05ST10  | 27,90 |
| 6   | 10 | 40 | 10 | 85 | 1    | 1     | CG06ST10  | 27,90 |
| 7   | 10 | 40 | 10 | 85 | 1    | 1     | CG07ST10  | 31,70 |
| 8   | 10 | 40 | 10 | 85 | 1    | 1     | CG08ST10  | 31,70 |
| 10  | 10 | 40 | 10 | 85 | 1    | 1     | CG10ST10  | 35,40 |
| 12  | 10 | 40 | 10 | 85 | 1    | 1     | CG12ST10  | 39,10 |
| 14  | 10 | 40 | 10 | 85 | 1    | 1     | CG14ST10  | 50,30 |
| 15  | 10 | 40 | 10 | 85 | 1    | 1     | CG15ST10  | 55,80 |



Available accessories: QA10, QC See page 146

## Wet diamond core drills for CNC machines

### FCNG


· Thin wall sintered drills, suitable for CNC machines for precise holes without chipping

★ **1st choice:**

Ultra-compact materials, Granite, Engineered stone

**suitable:**

Porcelain, Quartzite, Marble



| Ø  | W   | X  | Lu | L  | AT <sub>1</sub> | Min. | Mult. | Code        | €      |
|----|-----|----|----|----|-----------------|------|-------|-------------|--------|
| 35 | 1,1 | 10 | 50 | 95 | 1/2"            | 1    | 1     | FCNG035L50G | 103,00 |



## Wet diamond core drills for ceramics

### FC


- Thin wall sintered diamond drills
- Very precise bores without chipping, long life

★ **1st choice:**

Porcelain, Ceramics

**suitable:**

Marble, Granite, Engineered stone, Ultra-compact materials



| Ø  | W   | X  | Lu | L  | AT <sub>1</sub> | Min. | Mult. | Code      | €      |
|----|-----|----|----|----|-----------------|------|-------|-----------|--------|
| 6  | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC006L30G | 38,60  |
| 8  | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC008L30G | 43,50  |
| 10 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC010L30G | 48,30  |
| 12 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC012L30G | 50,20  |
| 14 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC014L30G | 53,10  |
| 20 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC020L30G | 63,80  |
| 25 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC025L30G | 76,70  |
| 30 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC030L30G | 86,50  |
| 35 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC035L30G | 96,50  |
| 40 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC040L30G | 110,00 |
| 60 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC060L30G | 161,60 |
| 68 | 1,5 | 10 | 30 | 75 | 1/2"            | 1    | 1     | FC068L30G | 187,40 |

## Electroplated diamond tools




## Electroplated mounted points Ø2,35 mm shank

### DWA-2

· Cylinder shape

★ **1st choice:**

Marble




| Ø   | T | L  | Y    | #    | Min. | Mult. | Code  | €    |
|-----|---|----|------|------|------|-------|-------|------|
| 1,9 | 7 | 45 | 2,35 | D126 | 10   | 10    | BH19A | 2,70 |
| 2,4 | 7 | 45 | 2,35 | D126 | 10   | 10    | BH24A | 2,70 |

### DWB-2

· Ball shape

★ **1st choice:**

Marble



| Ø | L  | Y    | #    | Min. | Mult. | Code  | €    |
|---|----|------|------|------|-------|-------|------|
| 1 | 45 | 2,35 | D107 | 10   | 10    | D1    | 2,70 |
| 2 | 45 | 2,35 | D126 | 10   | 10    | BH20B | 2,70 |
| 3 | 45 | 2,35 | D126 | 10   | 10    | D3    | 3,40 |
| 4 | 45 | 2,35 | D126 | 10   | 10    | D4    | 3,90 |


## Electroplated mounted points Ø2,35 mm shank

### DWP-2

· Cone shape

★ **1st choice:**

Marble




| Ø   | T  | L  | Y    | #    | Min. | Mult. | Code  | €    |
|-----|----|----|------|------|------|-------|-------|------|
| 1,5 | 10 | 45 | 2,35 | D126 | 10   | 10    | 1R    | 2,70 |
| 1,8 | 10 | 45 | 2,35 | D126 | 10   | 10    | BH18P | 2,70 |
| 2,4 | 12 | 45 | 2,35 | D126 | 10   | 10    | BH24P | 2,70 |
| 4,2 | 6  | 45 | 2,35 | D126 | 10   | 10    | BH42P | 3,90 |

### DWE-2

· Disc

★ **1st choice:**

Marble



| Ø  | T   | L  | Y    | #    | Min. | Mult. | Code | €    |
|----|-----|----|------|------|------|-------|------|------|
| 5  | 0,6 | 45 | 2,35 | D126 | 10   | 10    | K30  | 3,30 |
| 6  | 0,5 | 45 | 2,35 | D151 | 10   | 10    | K35  | 3,70 |
| 10 | 0,5 | 45 | 2,35 | D151 | 10   | 10    | K45  | 7,10 |
| 12 | 0,6 | 45 | 2,35 | D151 | 10   | 10    | K55  | 7,00 |


## Electroplated mounted points Ø2,35 mm shank

### DWY-2

· Disc with mandrel

★ **1st choice:**

Marble



| Ø  | T    | L  | Y    | H  | #    | Min. | Mult. | Code | €     |
|----|------|----|------|----|------|------|-------|------|-------|
| 22 | 0,45 | 45 | 2,35 | 20 | D107 | 5    | 5     | 88A  | 24,30 |

### DW-2-SET

· Set of 20 pcs

· Ø2,35 shank

★ **1st choice:**

Marble



| Y    | #    | Min. | Mult. | Code  | €     |
|------|------|------|-------|-------|-------|
| 2,35 | D126 | 1    | 1     | BHS20 | 55,60 |



INFO SET


## Electroplated mounted points Ø3 mm shank

### DWA-3

· Cylinder shape

★ **1st choice:**

Marble



| Ø   | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|-----|----|----|---|------|------|-------|------|------|
| 1   | 8  | 45 | 3 | D107 | 10   | 10    | DA10 | 2,60 |
| 1,5 | 8  | 45 | 3 | D107 | 10   | 10    | DA15 | 2,60 |
| 2   | 8  | 45 | 3 | D126 | 10   | 10    | DA20 | 2,60 |
| 2,5 | 8  | 45 | 3 | D126 | 10   | 10    | DA25 | 2,60 |
| 3   | 10 | 45 | 3 | D126 | 10   | 10    | DA30 | 2,60 |
| 3,5 | 10 | 45 | 3 | D126 | 10   | 10    | DA35 | 2,60 |
| 4   | 10 | 45 | 3 | D126 | 10   | 10    | DA40 | 3,20 |
| 5   | 10 | 45 | 3 | D126 | 10   | 10    | DA50 | 3,60 |
| 6   | 10 | 45 | 3 | D151 | 10   | 10    | DA60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWB-3

· Ball shape

★ **1st choice:**

Marble



| Ø   | L  | Y | #    | Min. | Mult. | Code | €    |
|-----|----|---|------|------|-------|------|------|
| 1   | 45 | 3 | D76  | 10   | 10    | DB10 | 2,60 |
| 1,5 | 45 | 3 | D107 | 10   | 10    | DB15 | 2,60 |
| 2   | 45 | 3 | D107 | 10   | 10    | DB20 | 2,60 |
| 3   | 45 | 3 | D126 | 10   | 10    | DB30 | 2,60 |
| 4   | 45 | 3 | D126 | 10   | 10    | DB40 | 3,20 |
| 5   | 45 | 3 | D151 | 10   | 10    | DB50 | 3,60 |
| 6   | 45 | 3 | D151 | 10   | 10    | DB60 | 4,20 |
| 8   | 45 | 3 | D151 | 10   | 10    | DB80 | 6,40 |




## Electroplated mounted points Ø3 mm shank

### DWC-3

· Cylindrical shape with radius end

★ **1st choice:**

Marble



| Ø   | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|-----|----|----|---|------|------|-------|------|------|
| 1   | 8  | 45 | 3 | D107 | 10   | 10    | DC10 | 2,60 |
| 1,5 | 8  | 45 | 3 | D107 | 10   | 10    | DC15 | 2,60 |
| 2   | 8  | 45 | 3 | D126 | 10   | 10    | DC20 | 2,60 |
| 2,5 | 8  | 45 | 3 | D126 | 10   | 10    | DC25 | 2,60 |
| 3   | 10 | 45 | 3 | D126 | 10   | 10    | DC30 | 2,60 |
| 3,5 | 10 | 45 | 3 | D126 | 10   | 10    | DC35 | 2,60 |
| 4   | 10 | 45 | 3 | D126 | 10   | 10    | DC40 | 3,20 |
| 5   | 10 | 45 | 3 | D126 | 10   | 10    | DC50 | 3,60 |
| 6   | 10 | 45 | 3 | D151 | 10   | 10    | DC60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWF-3

· Tree shape with radius end

★ **1st choice:**

Marble




| Ø | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----|----|---|------|------|-------|------|------|
| 2 | 10 | 45 | 3 | D126 | 10   | 10    | DF20 | 2,60 |
| 3 | 12 | 45 | 3 | D126 | 10   | 10    | DF30 | 2,60 |
| 4 | 10 | 45 | 3 | D126 | 10   | 10    | DF40 | 3,20 |
| 5 | 10 | 45 | 3 | D126 | 10   | 10    | DF50 | 3,60 |
| 6 | 12 | 45 | 3 | D151 | 10   | 10    | DF60 | 4,20 |

### DWP-3

· Cone shape

★ **1st choice:**

Marble



| Ø | T  | v° | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----|----|----|---|------|------|-------|------|------|
| 2 | 12 | 7  | 45 | 3 | D126 | 10   | 10    | DP20 | 2,60 |
| 3 | 15 | 11 | 45 | 3 | D126 | 10   | 10    | DP30 | 2,60 |
| 4 | 15 | 14 | 45 | 3 | D126 | 10   | 10    | DP40 | 3,20 |
| 5 | 15 | 18 | 45 | 3 | D126 | 10   | 10    | DP50 | 3,60 |
| 6 | 13 | 25 | 45 | 3 | D151 | 10   | 10    | DP60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWR-3

· Cone shape with radius end

★ **1st choice:**

Marble




| Ø   | T  | v° | L  | Y | #    | Min. | Mult. | Code | €    |
|-----|----|----|----|---|------|------|-------|------|------|
| 1,2 | 16 | 3  | 45 | 3 | D107 | 10   | 10    | DR13 | 2,60 |
| 1,5 | 13 | 3  | 45 | 3 | D107 | 10   | 10    | DR14 | 2,60 |
| 1,5 | 10 | 4  | 45 | 3 | D107 | 10   | 10    | DR15 | 2,60 |
| 2   | 12 | 5  | 45 | 3 | D126 | 10   | 10    | DR20 | 2,60 |
| 3   | 14 | 8  | 45 | 3 | D126 | 10   | 10    | DR30 | 2,60 |
| 3,3 | 15 |    | 45 | 3 | D126 | 10   | 10    | DR31 | 2,60 |
| 3,3 | 10 |    | 45 | 3 | D126 | 10   | 10    | DR32 | 2,60 |

### DWJ-3

· Tree shape Pointed end

★ **1st choice:**

Marble



| Ø | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----|----|---|------|------|-------|------|------|
| 2 | 6  | 45 | 3 | D126 | 10   | 10    | DJ20 | 2,60 |
| 3 | 14 | 45 | 3 | D126 | 10   | 10    | DJ30 | 2,60 |
| 4 | 9  | 45 | 3 | D126 | 10   | 10    | DJ40 | 3,20 |
| 5 | 10 | 45 | 3 | D126 | 10   | 10    | DJ50 | 3,60 |
| 6 | 10 | 45 | 3 | D151 | 10   | 10    | DJ60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWT-3

· Cone shape flat end

★ **1st choice:**

Marble




| Ø | Ø <sub>2</sub> | T  | v° | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----------------|----|----|----|---|------|------|-------|------|------|
| 2 | 1              | 10 | 3  | 45 | 3 | D126 | 10   | 10    | DT20 | 2,60 |
| 3 | 2              | 10 | 3  | 45 | 3 | D126 | 10   | 10    | DT30 | 2,60 |

### DWQ-3

· Oval shape

★ **1st choice:**

Marble



| Ø | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----|----|---|------|------|-------|------|------|
| 3 | 5  | 45 | 3 | D126 | 10   | 10    | DQ30 | 2,60 |
| 4 | 7  | 45 | 3 | D126 | 10   | 10    | DQ40 | 3,20 |
| 5 | 9  | 45 | 3 | D151 | 10   | 10    | DQ50 | 3,60 |
| 6 | 10 | 45 | 3 | D151 | 10   | 10    | DQ60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWV-3

· Inverted cone shape

★ **1st choice:**

Marble




| Ø | Ø <sub>2</sub> | T  | L  | Y | #    | Min. | Mult. | Code | €    |
|---|----------------|----|----|---|------|------|-------|------|------|
| 3 | 2,5            | 10 | 45 | 3 | D126 | 10   | 10    | DV30 | 2,60 |

### DWS-3

· Flame shape

★ **1st choice:**

Marble



| Ø | T   | L  | Y | #    | Min. | Mult. | Code | €    |
|---|-----|----|---|------|------|-------|------|------|
| 3 | 6   | 45 | 3 | D126 | 10   | 10    | DS30 | 2,60 |
| 4 | 8   | 45 | 3 | D126 | 10   | 10    | DS40 | 3,20 |
| 5 | 9,2 | 45 | 3 | D151 | 10   | 10    | DS50 | 3,60 |
| 6 | 12  | 45 | 3 | D151 | 10   | 10    | DS60 | 4,20 |


## Electroplated mounted points Ø3 mm shank

### DWE-3

· Disc

★ **1st choice:**

Marble




| Ø  | T | L  | Y | #    | Min. | Mult. | Code   | €    |
|----|---|----|---|------|------|-------|--------|------|
| 13 | 1 | 45 | 3 | D126 | 10   | 10    | DE1310 | 8,80 |
| 13 | 2 | 45 | 3 | D126 | 10   | 10    | DE1320 | 8,80 |
| 13 | 3 | 45 | 3 | D126 | 10   | 10    | DE1330 | 8,80 |
| 13 | 4 | 45 | 3 | D126 | 10   | 10    | DE1340 | 8,80 |

### DWX-3

· Lens shape

★ **1st choice:**

Marble



| Ø  | T | L  | Y | #    | Min. | Mult. | Code  | €    |
|----|---|----|---|------|------|-------|-------|------|
| 13 | 2 | 45 | 3 | D126 | 10   | 10    | DX130 | 8,80 |


## Electroplated mounted points Ø3 mm shank

### DWY-3

· Disc with mandrel

★ **1st choice:**

Marble



| Ø  | T   | L  | Y | #    | Min. | Mult. | Code  | €     |
|----|-----|----|---|------|------|-------|-------|-------|
| 22 | 0,5 | 45 | 3 | D107 | 5    | 5     | DY220 | 21,90 |

### DW-3-SET

· Set of 30 pcs

· Ø3 shank

★ **1st choice:**

Marble



| Y | #    | Min. | Mult. | Code  | €     |
|---|------|------|-------|-------|-------|
| 3 | D126 | 1    | 1     | BMS30 | 71,70 |



INFO SET



## Electroplated mounted points Ø6 mm shank

### DWA-6


· Cylinder shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø   | T  | L  | Y | #    | Min. | Mult. | Code        | €     |
|-----|----|----|---|------|------|-------|-------------|-------|
| 6,5 | 15 | 60 | 6 | D427 | 2    | 2     | DWA001E3DCC | 13,40 |
| 8   | 15 | 60 | 6 | D427 | 2    | 2     | DWA002E3DCC | 15,10 |
| 10  | 10 | 60 | 6 | D427 | 2    | 2     | DWA003E3DCC | 19,70 |
| 10  | 19 | 60 | 6 | D427 | 2    | 2     | DWA004E3DCC | 19,70 |
| 10  | 32 | 60 | 6 | D427 | 1    | 1     | DWA006E3DCC | 22,30 |
| 18  | 26 | 60 | 6 | D427 | 1    | 1     | DWA007E3DCC | 39,50 |

### DWB-6


· Ball shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|----|---|------|------|-------|-------------|-------|
| 6  | 60 | 6 | D427 | 2    | 2     | DWB002E3DCC | 13,50 |
| 8  | 60 | 6 | D427 | 2    | 2     | DWB001E3DCC | 15,10 |
| 10 | 60 | 6 | D427 | 2    | 2     | DWB003E3DCC | 19,70 |
| 16 | 60 | 6 | D427 | 1    | 1     | DWB005E3DCC | 30,40 |
| 20 | 60 | 6 | D427 | 1    | 1     | DWB006E3DCC | 36,40 |

## Electroplated mounted points Ø6 mm shank

### DWC-6


· Cylindrical shape with radius end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø   | T  | L  | Y | #    | Min. | Mult. | Code        | €     |
|-----|----|----|---|------|------|-------|-------------|-------|
| 6,5 | 15 | 60 | 6 | D427 | 2    | 2     | DWC001E3DCC | 13,70 |
| 6   | 32 | 65 | 6 | D427 | 2    | 2     | DWC002E3DCC | 15,10 |
| 8   | 15 | 60 | 6 | D427 | 2    | 2     | DWC003E3DCC | 15,10 |
| 10  | 19 | 60 | 6 | D427 | 2    | 2     | DWC004E3DCC | 19,70 |

### DWF-6


· Tree shape with radius end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø   | T  | L  | Y | #    | Min. | Mult. | Code        | €     |
|-----|----|----|---|------|------|-------|-------------|-------|
| 6,5 | 22 | 60 | 6 | D427 | 2    | 2     | DWF001E3DCC | 15,10 |
| 8   | 15 | 60 | 6 | D427 | 2    | 2     | DWF002E3DCC | 15,90 |
| 10  | 19 | 60 | 6 | D427 | 2    | 2     | DWF003E3DCC | 19,70 |

## Electroplated mounted points Ø6 mm shank

### DWP-6


· Cone shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T  | v° | L  | Y | #    | Min. | Mult. | Code         | €     |
|----|----|----|----|---|------|------|-------|--------------|-------|
| 6  | 12 | 28 | 60 | 6 | D427 | 2    | 2     | DWP001E3DCC  | 12,20 |
| 6  | 15 | 23 | 60 | 6 | D427 | 2    | 2     | DWP002E3DCC  | 12,20 |
| 8  | 15 | 30 | 60 | 6 | D427 | 2    | 2     | DWP003E3DCC  | 15,10 |
| 10 | 20 | 28 | 60 | 6 | D427 | 2    | 2     | DWP004E3DCC  | 19,70 |
| 10 | 38 | 15 | 60 | 6 | D427 | 1    | 1     | DWP005E3DCCG | 30,60 |
| 15 | 25 | 33 | 60 | 6 | D427 | 1    | 1     | DWP006E3DCC  | 28,80 |

### DWR-6


· Cone shape with radius end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø   | T  | v° | L  | Y | #    | Min. | Mult. | Code        | €     |
|-----|----|----|----|---|------|------|-------|-------------|-------|
| 6,5 | 25 | 10 | 60 | 6 | D427 | 2    | 2     | DWR001E3DCC | 15,10 |
| 14  | 18 | 43 | 60 | 6 | D427 | 2    | 2     | DWR005E3DCC | 30,40 |
| 16  | 18 | 48 | 60 | 6 | D427 | 2    | 2     | DWR006E3DCC | 30,40 |

## Electroplated mounted points Ø6 mm shank

### DWJ-6


· Tree shape Pointed end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T  | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|----|----|---|------|------|-------|-------------|-------|
| 10 | 19 | 60 | 6 | D427 | 2    | 2     | DWJ001E3DCC | 19,70 |

### DWT-6


· Cone shape flat end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø | Ø <sub>2</sub> | T  | v° | L  | Y | #    | Min. | Mult. | Code        | €     |
|---|----------------|----|----|----|---|------|------|-------|-------------|-------|
| 8 | 4              | 15 | 15 | 60 | 6 | D427 | 2    | 2     | DWT001E3DCC | 15,10 |

## Electroplated mounted points Ø6 mm shank

### DWQ-6


· Oval shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T  | L  | Y | #    | Min. | Mult. | Code         | €     |
|----|----|----|---|------|------|-------|--------------|-------|
| 6  | 13 | 60 | 6 | D427 | 2    | 2     | DWQ001E3DCC  | 12,20 |
| 9  | 18 | 60 | 6 | D427 | 2    | 2     | DWQ002E3DCC  | 18,20 |
| 10 | 16 | 60 | 6 | D427 | 2    | 2     | DWQ003E3DCC  | 19,60 |
| 12 | 25 | 60 | 6 | D427 | 2    | 2     | DWQ004E3DCC  | 27,80 |
| 15 | 29 | 60 | 6 | D427 | 2    | 2     | DWQ005E3DCCD | 41,20 |

### DWN-6


· Cylinder shape with cone end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T | v° | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|---|----|----|---|------|------|-------|-------------|-------|
| 10 | 9 | 90 | 70 | 6 | D427 | 2    | 2     | DWN001E3DCC | 15,90 |



## Electroplated mounted points Ø6 mm shank

### DWV-6


· Inverted cone shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | Ø <sub>2</sub> | T  | v° | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|----------------|----|----|----|---|------|------|-------|-------------|-------|
| 8  | 4              | 5  | 40 | 60 | 6 | D427 | 2    | 2     | DWV001E3DCC | 15,10 |
| 14 | 8              | 18 | 20 | 60 | 6 | D427 | 2    | 2     | DWV003E3DCC | 31,80 |

### DWX-6


· Lens shape

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|---|----|---|------|------|-------|-------------|-------|
| 25 | 5 | 60 | 6 | D427 | 1    | 1     | DWX001E3DCC | 45,50 |

## Electroplated mounted points Ø6 mm shank

### DWU-6


· Disc with radius end

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T | L  | R   | Y | #    | Min. | Mult. | Code        | €     |
|----|---|----|-----|---|------|------|-------|-------------|-------|
| 25 | 5 | 60 | 2,5 | 6 | D427 | 1    | 1     | DWU001E3DCC | 42,60 |

### DWE-6


· Disc

★ **1st choice:**

Marble, Ceramics, Porcelain

**suitable:**

Engineered stone



| Ø  | T | L  | Y | #    | Min. | Mult. | Code        | €     |
|----|---|----|---|------|------|-------|-------------|-------|
| 10 | 2 | 60 | 6 | D427 | 2    | 2     | DWE001E3DCC | 15,10 |



## Electroplated mounted points Ø6 mm shank

### DW-6-SET

- Set of 10 pcs
- Ø6 shank

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| Y | #    | Min. | Mult. | Code  | €      |
|---|------|------|-------|-------|--------|
| 6 | D427 | 1    | 1     | BMS10 | 151,00 |



INFO SET

## Electroplated discs Ø6 mm bore

### EDC-6

· Cutting blades

★ **1st choice:**

Marble

**suitable:**

Engineered stone




| Ø  | T   | W | H | #    | Min. | Mult. | Code    | €     |
|----|-----|---|---|------|------|-------|---------|-------|
| 25 | 1,7 | 3 | 6 | D427 | 3    | 1     | EDC025A | 10,50 |
| 40 | 1,7 | 3 | 6 | D427 | 3    | 1     | EDC040A | 16,00 |
| 50 | 1,7 | 3 | 6 | D427 | 3    | 1     | EDC050A | 19,00 |
| 65 | 1,7 | 3 | 6 | D427 | 2    | 1     | EDC065A | 24,50 |



Available accessories: AL6 See page 152

## Tools for stationary machines



## Edge polisher - Diamond resin bonded wheels

### DIAHARD XT-L0

- SF quick-connect version
- Excellent for machining thick stone edges with planetary spindles

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



| # | Ø   | W  | X | H  | AT <sub>1</sub> | Min. | Mult. | Code     | €     |
|---|-----|----|---|----|-----------------|------|-------|----------|-------|
| 1 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030051 | 58,00 |
| 2 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030052 | 58,00 |
| 3 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030053 | 58,00 |
| 4 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030054 | 58,00 |
| 5 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030055 | 58,00 |
| 6 | 100 | 40 | 3 | 20 | SF DX           | 1    | 1     | HW030056 | 58,00 |

## Edge polisher - Diamond resin bonded wheels

### DIAHARD XT-L3

- Diamond resin bonded wheels for straight edge
- Perfect results even on most delicate materials
- Suggested up to 40mm slab

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



| # | Ø   | W  | X | AT <sub>1</sub> | Min. | Mult. | Code     | €      |
|---|-----|----|---|-----------------|------|-------|----------|--------|
| 0 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030040 | 122,00 |
| 1 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030041 | 87,00  |
| 2 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030042 | 87,00  |
| 3 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030043 | 87,00  |
| 4 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030044 | 87,00  |
| 5 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030045 | 87,00  |
| 6 | 130 | 45 | 5 | SF DX           | 1    | 1     | HW030046 | 87,00  |


## Edge polisher - Diamond resin bonded wheels

### DIAHARD XT-L5

- Diamond resin bonded wheels for straight edge
- Perfect results even on most delicate materials
- Suggested up to 80mm slab

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



| # | Ø   | W  | X  | AT <sub>1</sub> | Min. | Mult. | Code     | €      |
|---|-----|----|----|-----------------|------|-------|----------|--------|
| 0 | 150 | 45 | 10 | SF DX           | 1    | 1     | HW030080 | 229,00 |
| 1 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030081 | 116,00 |
| 2 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030082 | 116,00 |
| 3 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030083 | 116,00 |
| 4 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030084 | 116,00 |
| 5 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030085 | 116,00 |
| 6 | 150 | 45 | 5  | SF DX           | 1    | 1     | HW030086 | 116,00 |


## Edge polisher - Diamond resin bonded wheels

### DIAHARD XT-LQ

- Diamond resin bonded wheels for straight edge
- QRS system allows a quick tool change and gives a light flexibility

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Ultra-compact materials, Porcelain



| # | Ø   | W  | X | Min. | Mult. | Code     | €      |
|---|-----|----|---|------|-------|----------|--------|
| 0 | 130 | 45 | 5 | 1    | 1     | HW030030 | 111,00 |
| 1 | 130 | 45 | 5 | 1    | 1     | HW030031 | 66,00  |
| 2 | 130 | 45 | 5 | 1    | 1     | HW030032 | 66,00  |
| 3 | 130 | 45 | 5 | 1    | 1     | HW030033 | 66,00  |
| 4 | 130 | 45 | 5 | 1    | 1     | HW030034 | 66,00  |
| 5 | 130 | 45 | 5 | 1    | 1     | HW030035 | 66,00  |
| 6 | 130 | 45 | 5 | 1    | 1     | HW030036 | 66,00  |



Available accessories: SFDX See page 144

## Radial arms - Sintered metal bond wheels

### MP-20

- Sintered metal bond segmented wheels
- Two different grit sizes for coarse grinding and preparation to polishing stages
- Fixed by screws or with magnetic quick change using MAG250A

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Marble, Concrete



| #   | Ø   | L <sub>2</sub> | W | X | Z  | Min. | Mult. | Code | €      |
|-----|-----|----------------|---|---|----|------|-------|------|--------|
| 50  | 200 | 34             | 8 | 7 | 15 | 1    | 1     | MP81 | 205,00 |
| 150 | 200 | 34             | 8 | 7 | 15 | 1    | 1     | MP82 | 205,00 |



Available accessories: MAG-A See page 149



## Radial arms - Sintered metal bond wheels

### MP-25

- Sintered metal bond segmented wheels
- Two different grit sizes for coarse grinding and preparation to polishing stages
- Fixed by screws or with magnetic quick change using MAG250A

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Marble, Concrete



| #   | Ø   | L <sub>2</sub> | W | X | Z  | Min. | Mult. | Code  | €      |
|-----|-----|----------------|---|---|----|------|-------|-------|--------|
| 50  | 250 | 34             | 8 | 7 | 18 | 1    | 1     | MP101 | 248,00 |
| 150 | 250 | 34             | 8 | 7 | 18 | 1    | 1     | MP102 | 248,00 |



Available accessories: MAG-A See page 149

## Radial arms - Sintered metal bond wheels

### MRP-25


- Sintered metal bond segmented wheels resin filled
- Better finishing compared with MP type, it minimizes chipping problems
- Fixed by screws or with magnetic quick change using MAG250A

★ **1st choice:**

Marble, Granite, Engineered stone

**suitable:**

Concrete



| #   | Ø   | L <sub>2</sub> | W | X  | Z  | Min. | Mult. | Code   | €      |
|-----|-----|----------------|---|----|----|------|-------|--------|--------|
| 50  | 250 | 42             | 8 | 10 | 12 | 1    | 1     | MRP101 | 257,00 |
| 100 | 250 | 42             | 8 | 10 | 12 | 1    | 1     | MRP102 | 257,00 |
| 200 | 250 | 42             | 8 | 7  | 12 | 1    | 1     | MRP103 | 257,00 |



Available accessories: MAG-A See page 149

## Radial arms - Resin bonded wheels

### RP-20

- Resin bonded segmented wheels for honing and polishing
- Very good grinding speed and very long life compared to traditional system
- Fixed by screws or with magnetic quick change using MAG250A

★ **1st choice:**

Granite

**suitable:**

Marble, Quartzite, Engineered stone



| #    | Ø   | L <sub>2</sub> | W  | X  | Z  | Min. | Mult. | Code | €      |
|------|-----|----------------|----|----|----|------|-------|------|--------|
| 100  | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP82 | 109,00 |
| 200  | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP83 | 109,00 |
| 400  | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP84 | 109,00 |
| 800  | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP85 | 109,00 |
| 1500 | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP86 | 109,00 |
| 3000 | 200 | 43             | 19 | 15 | 12 | 1    | 1     | RP87 | 109,00 |



Available accessories: MAG-A See page 149

## Radial arms - Resin bonded wheels

### RP-25

- Resin bonded segmented wheels for honing and polishing
- Very good grinding speed and very long life compared to traditional system
- Fixed by screws or with magnetic quick change using MAG250A

★ **1st choice:**

Granite

**suitable:**

Marble, Quartzite, Engineered stone



| #    | Ø   | L <sub>2</sub> | W  | X  | Z  | Min. | Mult. | Code  | €      |
|------|-----|----------------|----|----|----|------|-------|-------|--------|
| 100  | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP102 | 135,00 |
| 200  | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP103 | 135,00 |
| 400  | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP104 | 135,00 |
| 800  | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP105 | 135,00 |
| 1500 | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP106 | 135,00 |
| 3000 | 250 | 43             | 19 | 15 | 16 | 1    | 1     | RP107 | 135,00 |



Available accessories: MAG-A See page 149

### BUFF

- High quality diamond buffing wheel
- The final touch on polishing side
- Available in two different versions for light or dark materials

★ **1st choice:**

Granite, Quartzite



| #   | Ø   | W  | X  | Min. | Mult. | Code | €      |
|-----|-----|----|----|------|-------|------|--------|
| Lux | 200 | 80 | 10 | 1    | 1     | BB8  | 228,00 |

## Radial arms - Resin bonded wheels

### EG6 QRS

- Resin bonded wheels with latest generation bond EG6
- Brilliant polishing on every kind of material without overheating
- QRS system allows a quick tool change and gives a light flexibility

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics



| # | Ø   | W  | X | Min. | Mult. | Code      | €      |
|---|-----|----|---|------|-------|-----------|--------|
| 1 | 200 | 65 | 3 | 1    | 1     | EG6D200V1 | 177,50 |
| 2 | 200 | 65 | 3 | 1    | 1     | EG6D200V2 | 177,50 |
| 3 | 200 | 65 | 3 | 1    | 1     | EG6D200V3 | 177,50 |
| 4 | 200 | 65 | 3 | 1    | 1     | EG6D200V4 | 177,50 |
| 5 | 200 | 65 | 3 | 1    | 1     | EG6D200V5 | 177,50 |
| 6 | 200 | 65 | 3 | 1    | 1     | EG6D200V6 | 177,50 |



Available accessories: MV See page 150

## CNC-Router bits

### CNA AX

- Segmented router bits with patterned diamond
- Very even output with high feed rates

★ **1st choice:**

Granite, Engineered stone

**suitable:**

Quartzite



| Ø  | T  | W | X | Z | AT <sub>1</sub> | Min. | Mult. | Code         | €      |
|----|----|---|---|---|-----------------|------|-------|--------------|--------|
| 22 | 40 | 4 | 4 | 7 | 1/2"            | 1    | 1     | CNA017M5CBCW | 113,00 |
| 22 | 50 | 3 | 4 | 7 | 1/2"            | 1    | 1     | CNA018M5CBCW | 113,00 |

### CNA EP

- Electroplated router bits with spiral milling
- Very even output with high feed rates

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| #    | Ø  | T  | AT   | Min. | Mult. | Code         | €      |
|------|----|----|------|------|-------|--------------|--------|
| D602 | 13 | 45 | 1/2" | 1    | 1     | CNA010E4BCW  | 117,00 |
| D602 | 16 | 35 | 1/2" | 1    | 1     | CNA011E3BBCW | 111,00 |
| D602 | 16 | 45 | 1/2" | 1    | 1     | CNA012E3BBCW | 117,00 |
| D602 | 18 | 65 | 1/2" | 1    | 1     | CNA013E3BBCW | 211,00 |
| D602 | 16 | 55 | 1/2" | 1    | 1     | CNA014E3BBCW | 158,00 |

## CNC-Step cutting router bits

### CNI AX

- Sintered router for step cutting M12 shank
- Excellent feed rate with long life

★ **1st choice:**

Granite, Engineered stone



| #    | Ø  | T  | AT  | Min. | Mult. | Code        | €     |
|------|----|----|-----|------|-------|-------------|-------|
| D301 | 20 | 20 | M12 | 1    | 1     | CNI001M1VFJ | 47,00 |



Available accessories: AG-CNI See page 151



## CNC-Step cutting router bits

### CNI EP

- Electroplated router bits with spiral milling
- Very even output with high feed rates

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| #    | Ø  | T  | AT  | Min. | Mult. | Code        | €     |
|------|----|----|-----|------|-------|-------------|-------|
| D602 | 20 | 20 | M12 | 1    | 1     | CNI001E3BAJ | 99,00 |



Available accessories: AG-CNI See page 151



## CNC-Stubbing wheels

### CNB AX

- Sintered reversible stubbing wheel for recessing
- Excellent feed rate with long life

★ **1st choice:**

Granite, Engineered stone, Quartzite



| Ø  | T  | W   | X   | Z  | H  | AT <sub>1</sub> | Min. | Mult. | Code        | €      |
|----|----|-----|-----|----|----|-----------------|------|-------|-------------|--------|
| 87 | 20 | 6,2 | 5,8 | 20 | 50 | 3+3             | 1    | 1     | CNB002M5CBG | 209,00 |

### CNB EP

- Electroplated reversible stubbing wheel for recessing
- Excellent feed rate with long life

★ **1st choice:**

Marble

**suitable:**

Engineered stone



| #    | Ø  | T  | W | Z  | H  | AT <sub>1</sub> | Min. | Mult. | Code        | €      |
|------|----|----|---|----|----|-----------------|------|-------|-------------|--------|
| D602 | 80 | 20 | 5 | 20 | 50 | 3+3             | 1    | 1     | CNB001E3BBG | 260,00 |

## CNC-Carving tools

### DWA - EPD602


- Cylindrical electroplated routers with Y=6 mm shank
- High quality diamond powder in D602 grit for heavy duty working

★ **1st choice:**

Marble, Engineered stone

**suitable:**

Granite



| #    | Ø  | T  | L  | Y | Min. | Mult. | Code        | €     |
|------|----|----|----|---|------|-------|-------------|-------|
| D602 | 8  | 30 | 60 | 6 | 1    | 1     | DWAD09E3DBC | 33,00 |
| D602 | 20 | 15 | 55 | 6 | 1    | 1     | DWAD10E3DBC | 35,00 |
| D602 | 17 | 10 | 90 | 6 | 1    | 1     | DWAD12E3DBC | 36,00 |



Available accessories: QA6 See page 151


## CNC-Carving tools

### DWA - SINT

- Cylindrical sintered routers with Y=6 mm shank
- Very high grinding speed

★ **1st choice:**

Granite, Quartzite, Engineered stone, Concrete



| #    | Ø  | T  | L  | Y | Min. | Mult. | Code         | €      |
|------|----|----|----|---|------|-------|--------------|--------|
| D301 | 10 | 27 | 60 | 6 | 1    | 1     | DWA005M2DVCG | 65,00  |
| D301 | 20 | 30 | 60 | 6 | 1    | 1     | DWAD08M2DVCG | 130,00 |



Available accessories: QA6 See page 151

## CNC-Polishing wheels for kitchen tops

### EG6-MAG

- Resin bonded wheels with latest generation bond EG6
- Brilliant polishing on every kind of material without overheating

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics

**suitable:**

Concrete



| # | Ø   | W  | X | AT <sub>1</sub> | Min. | Mult. | Code      | €      |
|---|-----|----|---|-----------------|------|-------|-----------|--------|
| 0 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M0 | 118,50 |
| 1 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M1 | 102,50 |
| 2 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M2 | 102,50 |
| 3 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M3 | 102,50 |
| 4 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M4 | 102,50 |
| 5 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M5 | 102,50 |
| 6 | 100 | 30 | 6 | MAG             | 1    | 1     | EG6D100M6 | 102,50 |

## CNC-Polishing wheels for kitchen tops

### EG6-SF

- Resin bonded wheels with latest generation bond EG6
- Brilliant polishing on every kind of material without overheating

★ **1st choice:**

Marble, Granite, Quartzite, Engineered stone, Porcelain, Ceramics

**suitable:**


Concrete



| # | Ø   | W  | X | AT <sub>1</sub> | Min. | Mult. | Code       | €     |
|---|-----|----|---|-----------------|------|-------|------------|-------|
| 1 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF1 | 90,50 |
| 2 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF2 | 90,50 |
| 3 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF3 | 90,50 |
| 4 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF4 | 90,50 |
| 5 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF5 | 90,50 |
| 6 | 100 | 30 | 6 | SF DX           | 1    | 1     | EG6D100SF6 | 90,50 |



## Air tools



## High speed straight grinders

### 260

- Fixed type collet chuck microgrinder
- High torque and tight tolerance in rotation



| watt |  | AT | rpm    | Min. | Mult. | Code   | €      |
|------|-----------------------------------------------------------------------------------|----|--------|------|-------|--------|--------|
| 160  | 160                                                                               | 3  | 60.000 | 1    | 1     | JPG260 | 221,00 |

### 380

- Replaceable collet chuck (Ø2,35-3) microgrinder
- High speed for microtools



| watt |  | AT     | rpm    | Min. | Mult. | Code   | €      |
|------|-------------------------------------------------------------------------------------|--------|--------|------|-------|--------|--------|
| 120  | 160                                                                                 | 2,35-3 | 80.000 | 1    | 1     | JPG380 | 290,00 |



## High speed straight grinders

### 300

- Straight air grinder with Ø3/6mm collets
- Lightweight and compact design for precision working



| watt |  | AT  | rpm    | Min. | Mult. | Code  | €      |
|------|-----------------------------------------------------------------------------------|-----|--------|------|-------|-------|--------|
| 250  | 350                                                                               | 3-6 | 35.000 | 1    | 1     | UG300 | 275,00 |

## Mini angle grinders


### 220

- Mini angle grinder 120°
- Developed for Ø30mm Diaface disc type SA



| watt |  | AT | rpm    | Min. | Mult. | Code   | €      |
|------|-----------------------------------------------------------------------------------|----|--------|------|-------|--------|--------|
| 230  | 200                                                                               | M7 | 22.000 | 1    | 1     | JPG220 | 317,50 |

## Accessories



## Accessories for angle grinders

### PLA-QM

- Medium flexibility
- PUR-construction
- With center hole for water feed



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|-----|-----------------|------|-------|--------|-------|
| 98  | M14             | 1    | 1     | N100PH | 10,90 |
| 112 | M14             | 1    | 1     | N115PH | 11,80 |
| 122 | M14             | 1    | 1     | N125PH | 12,60 |

### PLA-QNR

- Natural rubber with heavy duty hooks



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code | €     |
|-----|-----------------|------|-------|------|-------|
| 100 | M14             | 1    | 1     | N100 | 30,00 |

## Accessories for angle grinders

### PLA-QA

- Made of aluminium with heavy duty hooks



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|-----------------|------|-------|-------|-------|
| 100 | M14             | 1    | 1     | A100V | 19,00 |

### PLA-QD

- Rigid plastic made with centering pin



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code    | €     |
|-----|-----------------|------|-------|---------|-------|
| 100 | M14             | 1    | 1     | DRY100V | 20,00 |

## Accessories for angle grinders

### PLA-QR

· Semirigid plastic made



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|-----|-----------------|------|-------|--------|-------|
| 100 | M14             | 1    | 1     | I100FV | 17,00 |
| 115 | M14             | 1    | 1     | I115FV | 18,00 |
| 125 | M14             | 1    | 1     | I125FV | 20,00 |
| 150 | M14             | 1    | 1     | I150FV | 25,00 |

### PLA-QS

· Plastic made with 10mm foam



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code     | €     |
|-----|-----------------|------|-------|----------|-------|
| 100 | M14             | 1    | 1     | N100PL10 | 24,00 |
| 115 | M14             | 1    | 1     | N115PL10 | 27,00 |
| 125 | M14             | 1    | 1     | N125PL10 | 29,00 |
| 150 | M14             | 1    | 1     | N150PL10 | 36,00 |
| 175 | M14             | 1    | 1     | N175PL10 | 41,00 |

## Accessories for angle grinders

### PLA-SA

· Natural rubber for SA disc



| Ø  | AT <sub>1</sub> | Min. | Mult. | Code  | €    |
|----|-----------------|------|-------|-------|------|
| 30 | M7              | 1    | 1     | AGP01 | 5,00 |

### PLA-IN

· Semi-rigid with center hole for SA discs




| Ø   | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|-----------------|------|-------|-------|-------|
| 100 | M14             | 1    | 1     | I100N | 24,00 |

## Accessories for angle grinders

### PLA-TRK

· Turnlock back up pad screw fastening



| Ø  | Y | Min. | Mult. | Code  | €    |
|----|---|------|-------|-------|------|
| 25 | 6 | 1    | 1     | SL104 | 8,70 |
| 50 | 6 | 1    | 1     | SL102 | 9,40 |

### LMFL

· Flange from 22,23 to threaded attachment



| AT    | AT <sub>1</sub> | Min. | Mult. | Code | €     |
|-------|-----------------|------|-------|------|-------|
| 22,23 | M14             | 1    | 1     | AG01 | 14,00 |
| 22,23 | 5/8-11          | 1    | 1     | AG02 | 14,00 |



## Accessories for angle grinders

### REFL14

- Attachments for expanding rubber drums with 25 mm bore
- Code AG13 with internal lubrication



| Ø  | T  | T <sub>1</sub> | AT <sub>1</sub> | Min. | Mult. | Code | €     |
|----|----|----------------|-----------------|------|-------|------|-------|
| 25 | 38 | 42             | M14             | 1    | 1     | AG2  | 33,00 |
| 25 | 38 | 42             | M14             | 1    | 1     | AG13 | 35,00 |

## Diamond belts accessories

### RGE6

· Expanding rubber drums 6mm shank



| Ø  | T  | Y | Min. | Mult. | Code     | €     |
|----|----|---|------|-------|----------|-------|
| 15 | 30 | 6 | 3    | 1     | RE015030 | 12,20 |
| 22 | 20 | 6 | 3    | 1     | RE022020 | 12,80 |
| 25 | 25 | 6 | 3    | 1     | RE025025 | 14,60 |
| 30 | 30 | 6 | 3    | 1     | RE030030 | 15,40 |
| 45 | 30 | 6 | 3    | 1     | RE045030 | 17,40 |

### RGE

· Expanding rubber drums with passing bore



| Ø   | T  | H     | AT <sub>1</sub> | Min. | Mult. | Code      | €      |
|-----|----|-------|-----------------|------|-------|-----------|--------|
| 50  | 42 |       | M14             | 1    | 1     | RE050042  | 79,00  |
| 50  | 42 | 25    |                 | 1    | 1     | RE050042L | 79,00  |
| 75  | 38 | 25    |                 | 1    | 1     | RE075038  | 43,00  |
| 100 | 38 | 25    |                 | 1    | 1     | RE100038  | 93,00  |
| 200 | 38 | 50-25 |                 | 1    | 1     | RE200038  | 159,00 |

## Accessories for edge polishers

### ISU-100

· Snail tool holder rubber-aluminium



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code     | €      |
|-----|-----------------|------|-------|----------|--------|
| 100 | M14             | 1    | 1     | ISU0551A | 100,00 |
| 100 | M18             | 1    | 1     | ISU0555A | 100,00 |
| 100 | M24x2           | 1    | 1     | ISU0556A | 100,00 |

### ISU-130

· Snail tool holder rubber-aluminium



| Ø   | AT <sub>1</sub> | Min. | Mult. | Code     | €      |
|-----|-----------------|------|-------|----------|--------|
| 130 | M14             | 1    | 1     | ISU0602A | 117,00 |
| 130 | M24x2           | 1    | 1     | ISU0606F | 117,00 |

## Accessories for edge polishers

### SFDX


· Velcro snail fitting



| Ø   | PL | AT  | AT <sub>1</sub> | Min. | Mult. | Code      | €     |
|-----|----|-----|-----------------|------|-------|-----------|-------|
| 100 | 10 | QRS | SFDX            | 3    | 1     | SFDX100V  | 15,90 |
| 100 | 2  | QRS | SFDX            | 3    | 1     | SFDX100V2 | 9,60  |
| 100 |    | QRS | SFDX            | 3    | 1     | SFDX100VL | 9,60  |
| 130 | 10 | QRS | SFDX            | 2    | 1     | SFDX130V  | 22,30 |
| 130 |    | QRS | SFDX            | 2    | 1     | SFDX130VL | 11,70 |

## Reduction rings for diamond saw blades

### RID



| $\varnothing$ | E   | H    | Min. | Mult. | Code       | €    |
|---------------|-----|------|------|-------|------------|------|
| 60            | 1,5 | 25,4 | 1    | 1     | R60X254X15 | 2,90 |
| 60            | 1,5 | 30   | 1    | 1     | R60X30X15  | 2,90 |
| 60            | 1,5 | 50   | 1    | 1     | R60X50X15  | 2,90 |
| 60            | 2,5 | 50   | 1    | 1     | R60X50X25  | 2,90 |

## Drilling accessories

### QA10

- Adaptors for 10mm shank drills
- For stationary machines



| AT  | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|-----------------|------|-------|-------|-------|
| Ø10 | 1/2" BSP M      | 1    | 1     | Q000A | 32,00 |

### QC

- Adaptors for 10mm shank drills
- For wet sander



| AT  | AT <sub>1</sub> | Min. | Mult. | Code  | €     |
|-----|-----------------|------|-------|-------|-------|
| Ø10 | M14 F           | 1    | 1     | Q000C | 36,00 |

## Drilling accessories

### AG19

- It converts M14 core drills into 1/2" BSP



| AT    | AT <sub>1</sub> | Min. | Mult. | Code        | €            |
|-------|-----------------|------|-------|-------------|--------------|
| M14 M | 1/2" BSP M      | 1    | 1     | <b>AG19</b> | <b>23,00</b> |

### GIU-AT

- Adaptors for diamond drills with 1/2" BSP connection
- Water chuck for portable drill use



| AT         | AT <sub>1</sub> | Min. | Mult. | Code           | €            |
|------------|-----------------|------|-------|----------------|--------------|
| 1/2" BSP M | 12 mm           | 1    | 1     | <b>GIUROAT</b> | <b>88,00</b> |

## Drilling accessories

### GIU-TC

- Adaptors for diamond drills with 1/2" BSP connection
- Water chuck for pillar drilling machines



| AT         | AT <sub>1</sub> | Min. | Mult. | Code     | €      |
|------------|-----------------|------|-------|----------|--------|
| 1/2" BSP F | MT2             | 1    | 1     | GIUOTC02 | 202,00 |
| 1/2" BSP F | MT3             | 1    | 1     | GIUOTC03 | 212,00 |



## Accessories for radial arm machines

### AMK

- Magnetic tool holder
- Allows a quick change of grit size
- Complete of stainless screws and nuts for assembly to machine plate



| Ø   | Min. | Mult. | Code   | €      |
|-----|------|-------|--------|--------|
| 200 | 1    | 1     | MAG200 | 142,00 |
| 250 | 1    | 1     | MAG250 | 162,00 |

### MAG-A

- Tool's converting disc to MAG200/250 system



| Ø   | Min. | Mult. | Code    | €     |
|-----|------|-------|---------|-------|
| 140 | 1    | 1     | MAG250A | 11,00 |

## Accessories for radial arm machines

### MV

- Modifies MAG200/250 in order to accept QRS diamond wheels



| Ø   | Min. | Mult. | Code   | €     |
|-----|------|-------|--------|-------|
| 200 | 1    | 1     | P200MV | 85,00 |
| 250 | 1    | 1     | P250MV | 95,00 |

### MAG FK

- Magnetic/Frankfurt converting disc



| Ø   | Min. | Mult. | Code      | €     |
|-----|------|-------|-----------|-------|
| 330 | 1    | 1     | MAG330FK3 | 90,00 |
| 330 | 1    | 1     | MAG330FK4 | 90,00 |

## Accessories for NC machines

### AG-CNI

- Adaptor for step cutting routers M12
- Available in three standard lengths



| Lu  | AT    | AT <sub>1</sub> | Min. | Mult. | Code | €     |
|-----|-------|-----------------|------|-------|------|-------|
| 60  | M12 F | 1/2" BSP M      | 1    | 1     | AG20 | 45,00 |
| 90  | M12 F | 1/2" BSP M      | 1    | 1     | AG21 | 63,00 |
| 120 | M12 F | 1/2" BSP M      | 1    | 1     | AG22 | 75,00 |

### QA6

- Adaptors for Ø6mm shank routers to 1/2" BSP




| AT | AT <sub>1</sub> | Min. | Mult. | Code   | €     |
|----|-----------------|------|-------|--------|-------|
| 6  | 1/2"            | 1    | 1     | Q000A6 | 32,00 |

## Various tool holders

### AL6

· 6mm arbor for Ø6mm bore saw blades



| Ø | Y | Min. | Mult. | Code  | €     |
|---|---|------|-------|-------|-------|
| 6 | 6 | 1    | 1     | D0132 | 16,00 |

### TAQ

· Rigid pad with QRS attachment for diamond sheets



| T   | W  | Min. | Mult. | Code    | €     |
|-----|----|------|-------|---------|-------|
| 130 | 55 | 1    | 1     | TFPADLE | 36,00 |

## QRS fastener

### QRS

· Hook (M) and Loop (F) self adhesive discs and sheets



| Ø   | T   | H   | L     | PL | AT  | Min. | Mult. | Code         | €      |
|-----|-----|-----|-------|----|-----|------|-------|--------------|--------|
|     | 210 |     | 1.000 |    | M   | 1    | 1     | VE1000210M   | 84,00  |
|     | 210 |     | 1.000 |    | F   | 1    | 1     | VE1000210F   | 126,00 |
| 100 |     | 25  |       |    | M   | 10   | 1     | VED10025M    | 3,50   |
| 100 |     | 25  |       | 2  | M   | 10   | 1     | VED10025M2   | 3,50   |
| 100 |     | 25  |       | 10 | M/F | 5    | 1     | VED10025MF10 | 15,00  |
| 100 |     | 25  |       |    | M/F | 5    | 1     | VED10025MF   | 8,50   |
| 125 |     | 25  |       |    | M   | 10   | 1     | VED12525M    | 5,50   |
| 250 |     | 100 |       |    | M   | 1    | 1     | VED250100M   | 20,00  |
| 250 |     | 100 |       |    | F   | 1    | 1     | VED250100F   | 29,50  |

# GENERAL CONDITIONS OF SALE

These General Conditions of Sale apply to all orders accepted by SORMA S.p.A., with registered office in Via Don F. Tosatto no. 8, Mestre-Venice, Italy (hereinafter called "Seller") from any individual or body corporate having registered office or domicile in Italy or abroad and exercising its own commercial, business or professional activity (hereinafter called the "Purchaser") and govern all sales of goods specified in the catalogue of the Seller (hereinafter called the "Products"). Conditions differing from those contained herein will be effective only subject to written acceptance.

## 1. PRODUCTS

The Products subject of these sales are those specified in the catalogue of the Seller, with the specifications and drawings contained therein.

## 2. ORDERS

2.1 Orders, both direct and indirect, are always subject to acceptance by the Seller. The acknowledgement will describe the Products sold according to the catalogue code and will define the quantity of each product, the unit price, the delivery terms, and the transport and payment conditions. No order will be considered binding for the Seller until it has been accepted with acknowledgement issued by the latter.

2.2 Orders for non standard and/or special products and products to customer specifications shall be made in writing by the Purchaser and may under no circumstances be cancelled by the Purchaser once they have been accepted by the Seller.

2.3 The Seller reserves the right, at its discretion, to cancel the order if any further checks carried out on the customer's solvency suggest that it is expedient to do so.

## 3. PRICES, SHIPPING EXPENSES and PAYMENT CONDITIONS

3.1 The prices contained in the Seller's price list are binding if accepted by order acknowledgement of the Seller, unless said order acknowledgement specifies otherwise. The Purchaser shall immediately notify the Seller of all errors and omissions of any type in the payment conditions and in the prices contained in the acceptance document.

3.2 Prices do not include VAT and other taxes, customs duties or other charges that may be due on the Products in the country of the Purchaser and are expressed in the currency of the Seller's country unless agreed otherwise. The prices do not include shipping costs which will be sustained by the Purchaser.

3.3 The Seller also reserves the right to change the terms of payment of the Purchaser when, in its opinion, the financial conditions of the Purchaser and records of previous payments suggest that it is expedient to do so. The terms of payment are specified in the order acknowledgement. For all new customers, payment is by cash on delivery. The invoicing value date is essential for payments. For payments from abroad, expenses for the transfer of funds from the foreign bank to the Italian bank will be sustained entirely by the Purchaser.

## 4. DELIVERY TERMS AND PROCEDURES

4.1 The delivery terms specified in the order acknowledgement are binding, barring exemptions independent of the will of the Seller which will in any case be promptly notified to the Purchaser.

4.2 The Seller will make all efforts to observe the delivery dates or periods specified in the acknowledgement.

4.3 In the event of delayed delivery due to circumstances beyond the reasonable control of the Seller, such as (but not limited to) force majeure, strikes, unrest, accidents or conflicts, including any delay by the product manufacturing subcontractors or other, the Seller will have the right, as it chooses, either to extend the foreseen delivery period for a period equal to the duration of said cause or to cancel the sale, and in both cases will be exempt from all liability vis-à-vis the Purchaser in relation to the delayed or failed delivery.

Under no circumstances will the Seller be liable for delayed or failed delivery due to shortage of products.

4.4 The goods are sold ex works (ex works Incoterms 2010). The goods are shipped without insurance barring special provisions which will be agreed and charged to the Purchaser.

## 5. RISKS

All risks relating to the Products will be transferred from the Seller to the Purchaser at the place and time of delivery, described in the previous clause.

## 6. COMPLAINTS

6.1 The Purchaser will examine the Products immediately and with all due diligence and attention when they arrive at its premises and will inform the Seller without delay of any omission, defect or non-conformity encountered. Notification by the Purchaser of the omission, defect or non-conformity of the Products shall be made in writing by and no later than 10 days from receipt of the Products and shall contain a full description of the defects and omissions with reference to the transport documents relating to the Products. Once 10 days have elapsed from receipt of the Products by the Purchaser, as resulting from the transport documents, without the Purchaser having notified any lack or non-conformity of the Products, the latter will be considered definitively accepted by the Purchaser.

6.2 Further to the complaint, the Seller will provide, at its choice, either for replacement of the faulty Products or refund of the amount paid by the Purchaser for their purchase. The Seller is entitled to test the Products when they are returned and to charge the Purchaser for all costs sustained by the Seller in the event of the product turning out to be not faulty.

## 7. RETURNS

7.1 Any return will be accepted only if previously authorised and if sent carriage free. The Purchaser's transport document shall refer to the Seller's shipping documents. The Seller will not under any circumstances or for any reason credit goods supplied more than one year previously. The Seller only credits goods in their original packaging and under no circumstances if they are damaged. If goods are returned due to an error on the part of the Seller, return of the goods will be accepted carriage forward by post or by the Seller's regular forwarding agent. In the event of the above rules not being observed, no credit will be given and the goods will be rejected, charging the shipping expenses to the sender. The Seller is entitled to charge the Purchaser for the administration expenses of any returns not due to a fault in the product or in any case not due to the fault of the Seller.

7.2 The return of Products purchased via special offers or promotions, or as part of a "package" or "kit" of products may be subject to specific conditions, as described in the same or otherwise communicated to the Purchaser. No refund is permitted for individual products purchased as part of a "package" although the Seller may alternatively replace the individual product or request return of the entire "package" and refund the Purchaser the amounts paid for purchase of said "package".

## 8. WARRANTY

8.1 Within one year from the date of delivery and subject to the presentation of a complaint by the Purchaser according to the above "Complaints" clause, the product found to be faulty will be replaced free of charge by the Seller. In any case the Seller will not apply the warranty for the product found to be faulty due to incorrect or inappropriate use. In the event of a dispute, the manufacturer's technical report will prevail.

8.2 The Seller will be solely liable for damages caused to the Purchaser as an immediate and direct consequence of its own negligent or culpable non-fulfilment of the obligations under the contract.

8.3 Under no circumstances will the Seller be liable for indirect damages sustained by the Purchaser or third parties, for example, but not limited to, damage to image, loss of profit, production, contracts, penalties or refunds of any type, etc.

## 9. PACKAGING

Packaging is always invoiced at cost.

## 10. INVOICES

Invoicing is performed on the last working day of the month of shipment of the goods. The invoice, unless agreed otherwise, contains a summary of the transport documents for that month. For supplies abroad, the goods are shipped with accompanying invoice. It is the responsibility of the purchasing company to check that the general and fiscal particulars contained in the documents are correct.

## 11. JURISDICTION – COMPETENT COURT AND APPLICABLE LAW

11.1 All contractual or extra-contractual disputes concerning the interpretation, validity, effectiveness, execution or termination of this Contract will be referred exclusively to the Italian Judicial Authorities, Court of Venice.

11.2 This Contract will be interpreted and governed according to Italian law.











Sorma S.p.A. Socio Unico  
via Don F. Tosatto 8  
30174 Mestre (VE) ITALY  
tel. +39 041.959.616  
info@sorma.net

[www.sorma.net](http://www.sorma.net)

